TABLE I—CANISTER TESTING PARAMETERS

Ventilation rates (Lpm, ATPS <sup>1</sup> )	Breathing machine tidal volumes (L)	Breathing machine frequencies (breaths per min.)	CO <sub>2</sub> injection rates (Lpm, STPD <sup>2</sup> )
22.5	1.5	15	0.90
40.0	2.0	20	1.35
62.5	2.5	25	2.25

<sup>&</sup>lt;sup>1</sup> ATPS means ambient temperature and pressure, saturated with water

(v) When using a work rate (i.e., breathing-machine tidal volume and frequency) other than the work rates listed in the table above, addition of the appropriate combinations of ventilation rates and  $\mathrm{CO}_2$ -injection rates;

(vi) Performance of the  $CO_2$  injection at a constant (steady) and continuous rate during each testing trial;

(vii) Determination of canister duration using a minimum of four (4) water temperatures, including 40, 50, 70, and 90 degrees F (4.4, 10.0, 21.1, and 32.2 degrees C, respectively);

(viii) Monitoring of the breathing-gas temperature at the rebreather mouthpiece (at the "chrome T" connector), and ensuring that this temperature conforms to the temperature of a diver's exhaled breath at the water temperature and ventilation rate used during the testing trial; <sup>1</sup>

(ix) Implementation of at least eight (8) testing trials for each combination of temperature and ventilation- $CO_2$ -injection rates (for example, eight testing trials at 40 de-

grees F using a ventilation rate of 22.5 Lpm at a CO<sub>2</sub>-injection rate of 0.90 Lpm);

(x) Allowing the water temperature to vary no more than  $\pm 2.0$  degrees F ( $\pm 1.0$  degree C) between each of the eight testing trials, and no more than  $\pm 1.0$  degree F ( $\pm 0.5$  degree C) within each testing trial;

(xi) Use of the average temperature for each set of eight testing trials in the statistical analysis of the testing-trial results, with the testing-trial results being the time taken for the inhaled breathing gas to reach  $0.005~\mathrm{ATA}$  of  $\mathrm{CO}_2$  (i.e., the canister-duration results);

(xii) Analysis of the canister-duration results using the repeated-measures statistics described in NEDU Report 2-99;

(xiii) Specification of the replacement schedule for the CO<sub>2</sub>-sorbent materials in terms of the lower prediction line (or limit) of the 95% confidence interval; and

(xiv) Derivation of replacement schedules only by interpolating among, but not by extrapolating beyond, the depth, water temperatures, and exercise levels used during canister testing.

[69 FR 7363, Feb. 17, 2004]

#### Subparts U-Y [Reserved]

§§ 1910.901-1910.999 [Reserved]

<sup>&</sup>lt;sup>2</sup>STPD means standard temperature and pressure, dry; the standard temperature is 32 degrees F (0 degrees C).

<sup>&</sup>lt;sup>1</sup>NEDU can provide the manufacturer with information on the temperature of a diver's exhaled breath at various water temperatures and ventilation rates, as well as techniques and procedures used to maintain these temperatures during the testing trials.

# Subject Index for 29 CFR Part 1910—Occupational Safety and Health Standards

EDITORIAL NOTE: This listing is provided for information purposes only. It is compiled and kept up-to-date by the Department of Labor. This index is updated as July 1, 2006.

Subject term	Section No.	Subject term	Section No
A-Frame Derricks: (see also Derricks)	.181	Effective Dates	.149(a)
AIDS (see Bloodborne pathogens)	.1030	Standards Sources	.150
Aboveground storage tanks, flammable	.106(b)(2)	2-Acetylaminofluorene	.1003
and combustible liquid.	(-)(	Area requirements	.1003(c)
Spacing	.106(b)(2)(ii)	Closed system operation	.1003(c)(2)
Venting		Isolated systems	.1003(c)(1)
venting	.106(b)(2) (iv), (v),		
	(vi)	Maintenance and decon-	.1003(c)(5)
Spill control	.106(b)(2) (viii)	tamination activities.	
Abrasive Blasting: (see also Ventila-	.94	Open-vessel system oper-	.1003(c)(3)
tion).		ations.	
Air Compressors, Breathing Air	.94(a)(6)	Transfer from a closed oper-	.1003(c)(4)
Air Supply, Breathing	.94(a)(6)	ation.	
Blast Cleaning Enclosures	.94(a)(3)	Medical surveillance	.1003(g)
	.244(b)		
Cleaning Nozzles		Examinations	.1003(g)(1)
Dust Hazards	.94(a)(2)	Records	.1003(g)(2)
Abrasive Wheel Machinery:		Regulated area requirements	.1003(d)
Blotters	.215(c)(6)	Contamination control	.1003(d)(4)
Definitions	.211(b)	Emergencies	.1003(d)(2)
Effective Dates	.220	Hygiene facilities and prac-	.1003(d)(3)
Excluded Machinery	.215(a)(5)	tices.	
Flanges	.215(a)(3), (c)	Reports	.1003(f)
Guard Design			
	.215(a)(2)	Incidents	.1003(f)(2)
Specifications	.215(b)(12)	Operations	.1003(f)(1)
Guard Exposure Angles	.215(b)(2)	Signs, information, and training	.1003(e)
Band Type	.215(b)(11)	Container contents identifica-	.1003(e)(2)
Bench and Floor Stands	.215(b)(3)	tion.	, , , ,
Cup Wheels	.215(b)(1)	Lettering	.1003(e)(3)
Cylindrical Grinders	.215(b)(4)	Prohibited statements	.1003(e)(4)
Dimensions	.215(b)(10)		
Material Requirements		Signs	.1003(e)(1)
	.215(b)(10)	Training and indoctrination	.1003(e)(5)
Snagging Machines	.215(b)(7)	Acetylene	.102
Surface Grinding	.215(b)(5)	Cylinders	.102(a), (c)
Swing Frame	.215(b)(6)	Generators	.102(c)
Guarding	.215(a)(1), (b)	Pipe Systems	.102(b)
Mounting	.215(d)	Acetylene Generators	.253(f)
Arbor Size	.215(d)(2)	Approval	.253(f)(1)
Blotters	.215(d)(5)		
		Location	.253(f)(3)
Bushings	.215(d)(4)	Maintenance	.253(f)(7)
Inspections	.215(d)(1)	Marking	.253(f)(1)
Multiple Wheel	.215(d)(6)	Operation	.253(f)(7)
Ring Test	.215(d)(1)	Portable	.253(f)(5)
Surface Conditions	.215(d)(3)	Pressure Limits	.253(f)(2)
Standards Sources	.221	Rating	.253(f)(2)
Work Rests	.215(a)(4)	Stationary	.253(f)(2)
Abrasive Wheel Machinery, Portable:	.213(a)(4)		
	041/h)	Houses and Rooms	.253(f)(6)
Definitions	.241(b)	Acid Carboys	.262(nn)
Guarding	.243(c)	Acrylonitrile	.1045
Cup Wheels	.243(c)(2)	Emergency situations	.1045(i)
General Requirements	.243(c)(1)	Employee information and training	.1045(o)
Other Type Grinders	.243(c)(4)	Exposure monitoring	.1045(e)
Vertical Grinders	.243(c)(3)	Housekeeping	.1045(k)
Inspection	.243(c)(5)	Hygiene facilities and practices	.1045(R)
		Medical surveillance	
Mounting	.243(c)(5)		.1045(n)
Abrasive Wheels: (see Abrasive Wheel		Methods of compliance	.1045(g)
Machinery)		Notification of regulated areas and	.1045(d)
Access:		emergencies.	
Bulk Oxygen Systems	.104(b)(2)(ii)	Observation and monitoring	.1045(r)
Cranes	.179(c)(2)	Permissible exposure limit	.1045(c)
Exposure and medical records	.1020	Protective clothing and equipment	.1045(j)
Industrial Plants			
	.106(e)(9)(ii)	Recordkeeping	.1045(q)
Powered Platforms	.66	Regulated areas	.1045(f)
Processing Plants	.106(h)(8)(ii)	Respiratory protection	.1045(h)
Spraying Operations, Vents	.107(d)(10)	Signs and labels	.1045(p)
Sprinkler valve	.107(f)(2)	Waste disposal	.1045(l)
Accident Prevention Signs and Tags:	.145	Adjustments:	(-)

	1		1
Subject term	Section No.	Subject term	Section No.
Derricks	.181(f)(2), (3)	Anhydrous Ammonia:	
AEC Licensees	.96(p)	Containers:	
Agricultural Operations	.267	Appurtenances	.111(b)(6)
Air Compressors, Abrasive Blasting	.94(a)(6),	Charging	.111(b)(11)
····	.134(d)(2)(ii)	DOT	.111(e)
Air Contaminants	.1000, .1001	Farm Vehicles	.111(g), (h)
Effective Dates	.98, .1000	Location	.111(b)(5)
Exposure Limits	.1000, .1001	Motor Vehicle	.111(f)
Permissible exposure limits	.1000	Markings	.111(b)(3)
Standards Sources	.99	Non-Refrigerated	.111(b)(2), (c)
Air Controlling Equipment, Power	.217(b)(10)	Refrigerated	.111(d)
Presses.	.217 (0)(10)	Markings	.111(b)(4)
Air Lift Hammers, Forging	.218(e)(1)	Safety Relief Devices	.111(b)(9), (c)(3),
Air Quality	.134(d)	carety Florier Devices IIIIIIIIIII	(d)(4), (f)(5)
Air Receivers:	.104(u)	Electrical Systems	.111(b)(16)
Application	.169(a)(1)	Fittings	.111(b)(7)
Compressed Air	.169	Handling	.111
Equipment:	.100	Hoses	.111(b)(8)
Drains	.169(b)(2)	Liquid Level Gaging Devices	.111(b)(14)
		Liquid Transfer	
Installation	.169(b)(1)		.111(b)(12), (f)(6)
Pressure Gages	.169(b)(3)	Piping	.111(b)(7)
Traps	.169(b)(2)	Standards Sources	.115
Valves	.169(b)(3)	Storage	.111
Standards Sources	.169(a)(2), .170	Tank Car Unloading	.111(b)(13)
Air Supply	.94(a)(6), .134(d)	Tubing	.111(b)(7)
Airborne Radioactive Materials Expo-	.96(c)	Appliances:	000(-1)(4)
sure Limits.		Electric	.306(d)(1)
Airhoses	.243(b)(2)	Liquefied Petroleum Gases	.110(b)(20), (g)(11)
Aisles:		Arbor Grinding Wheels	.215(d)(2)
Working Surfaces	.22(b)	Arc Welding	.254
Alarms: (see also Fire Alarms, Sprin-		Environmental Conditions	.254(b)(2)
klers, Warning Devices)		Equipment:	
Employee alarm systems	.165	Design	.254(b)(4)
Mills and Calenders	.216(g)	Disconnecting Means	.305(j)(3)
Rubber and Plastics	.216(g)	Grounding	.254(c)(2)
4-Aminodiphenyl	.1003	Installation	.254(c)
Area requirements	.1003(c)	Maintenance	.254(d)(9)
Closed system operation	.1003(c)(2)	Operation	.254(d)
Isolated systems	.1003(c)(1)	Personnel Protection	.252(b)
Maintenance and decon-	.1003(c)(5)	Protection from Rays	.252(b)(2)(iii)
tamination activities.		Supply Connections	.254(c)(3), (d)(3)
Open-vessel system oper-	.1003(c)(3)	Health Protection	.252(c)
ations.	.1000(0)(0)	Ventilation	.252(b)(4)(ii), (c)
Transfer from a closed oper-	.1003(c)(4)	Voltage	.254(b)(3)
ation.	.1003(0)(4)	Arsenic, Inorganic	.1018
Medical surveillance	.1003(g)	Asbestos:	.1010
		Airborne Concentration	.1001(c)
Examinations	.1003(g)(1)		
Records	.1003(g)(2)	Caution Signs and Labels	.1001(g)
Regulated area requirements	.1003(d)	Change Rooms	.1001(d)(4)
Contamination control	.1003(d)(4)	Compliance	.1001(f)
Emergencies	.1003(d)(2)	Definitions	.1001(a)
Hygiene facilities and prac-	.1003(d)(3)	Exposure, Permissible	.1001(c)
tices.	4000(6)	Fibers Exposure, Permissible	.1001(b)
Reports	.1003(f)	Hazard Communication	.1001(j)
Incidents	.1003(f)(2)	Housekeeping	.1001(k)
Operations	.1003(f)(1)	Hygiene Facilities and Practices	.1001(i)
Signs, information, and training	.1003(e)	Medical Surveillance	.1001(I)
Container contents identifica-	.1003(e)(2)	Measurements	.1001(e)
tion.		Medical Examinations	.1001(j)
Lettering	.1003(e)(3)	Monitoring	.1001(d)
Prohibited statements	.1003(e)(4)	Personal Protective Equipment	.1001(h)
Signs	.1003(e)(1)	Recordkeeping	.1001(m)
Training and indoctrination	.1003(e)(5)	Regulated Areas	.1001(e)
Ammonia, Anhydrous: (see also Anhy-	.111	Respiratory protection	.1001(g)
drous Ammonia).		Special Clothing	.1001(d)(3)
Ammonium Nitrate	.109(i)	Waste Disposal	.1001(h)(2)
Bulk Storage	.109(i)(4)	Atmospheric Contaminants: (see Air	· · · · /\-/
Containers	.109(i)(3)	Contaminants)	
Contaminants	.109(i)(5)	Atmospheric Tanks	.106(b)(1)(iii)
Electrical Installations	.109(i)(6)	Attendants:	
Fire Protection	.109(i)(0)	Liquified Hydrogen Systems	.103(c)(4)(ii)
Separation Walls	.109(i)(7)	Liquified Petroleum Gases	
			.110(b)(14)
Warehouses	.109(i)(4)	Automatic Sprinkler Systems: (see also	.159
Anchoring Fixed Machinery	1.212(a)(5), (b)	Sprinkler Systems, Automatic).	I

Til Tyto, maox		27 0111 0111 7711 (7	. IL Lamon,
Subject term	Section No.	Subject term	Section No.
Automobile Undercoatings	.107(k)	Emergencies	.1003(d)(2)
Baffle Plates:	407/11/11	Hygiene facilities and prac-	.1003(d)(3)
Spray Booths	.107(b)(4)	tices.	1002/f)
Bakery Equipment	.263(k) .268(i)(14)	ReportsIncidents	.1003(f) .1003(f)(2)
Bag Chutes and Lifts	.263(d)(2)	Operations	.1003(f)(2)
Biscuit Equipment	.263(k)	Signs, information, and training	.1003(r)(1)
Blenders	.263(d)(3)	Container contents identifica-	.1003(e)(2)
Bolting Reels	.263(d)(5)	tion.	, , ,
Conveyors	.263(d)(7), (i)(7)	Lettering	.1003(e)(3)
Cracker Equipment	.263(k)	Prohibited statements	.1003(e)(4)
Dividers	.263(f)	Signs	.1003(e)(1)
Dough Brakes	.263(h)	Training and indoctrination	.1003(e)(5)
Dumpbins	.263(d)(3)	Beryllium	.1000, Table Z-2
Flour Elevators	.263(d)(4)	Bins, Bulk Storage of Explosives	.109(g)(4)
Flour Handling Equipment	.263(d) .263(c)	Biological Hazards Signs and Tags	.145(e)(4), (f)(8)
Machine Guarding Miscellaneous Equipment	.263(i)	Blades ExposureBlankets, Rubber Insulating	.212(a)(5) .137
Mixers	.263(e)	Blasting Agents (see also Explosives	.109(g), (k) (1), (2),
Moulders	.263(g)	and Blasting Agents).	.119
Ovens	.263(I)	Bulk Delivery	.109(g)(3), (h)(4)
Pulverizers	.263(k)(2)	Bulk Storage Bins	.109(g)(4)
Scales, Flour	.263(d)(9)	Effective Dates	.114
Sifters	.263(d)(8)	Mixing, Fixed Location	.109(g)(2), (h)(3)
Slicers	.263(j)	Mixing Vehicles	.109(g)(3), (h)(4)
Storage Bins	.263(d)(6)	Slurries	.109(h)
Wrappers	.263(j)	Standards Sources	.115
Ballast, Cranes	.180(i)(2)	Storage	.109(g)(5)
Band Saws and Resaws	.213(i)	Transportation	.109(g)(6)
Barking Devices:	004( )(44)	Use	.109(g)(7)
Hydraulic	.261(e)(14)	Water Gels	.109(h)
Pulp Wood and Chips	.261(c), (e)(8)	Bleaching:	004/1-)
Sawmills	.265(d)(4)	Pulp and Paper Mills Textiles	.261(h)
Guarding	.212(a)(4)	Bloodborne pathogens	.262(p) .1030
Basket Derricks: (see Derricks)	.181	Effective dates	.1030(i)
Bathing Facilities:	.101	Engineering and work-practice	.1030(d)(2)
Labor Camps	.142(f)	controls.	
Battery Changing and Charging	.178(g), .305(j)(7)	Housekeeping	.1030(d)(4)
Bearings	.219(j), (p)(3)	Laboratories and production facili-	.1030(e)
Belts:		ties, HIV and HBV research.	
Definitions	.211(f)(1)-(3)	Personal protective equipment	.1030(c)(2)(ii),
Manlifts	.68(c)(1)		(d)(2)(i), (3)
Power Transmission Apparatus	.219(e)(1), (o)(3),	Recordkeeping	.1030(f)(6), (h)
D 1 151 0: 1 0 1:	(p)(6)	Training	.1030(e)(5), (g)(2)
Bench and Floor Stands Guarding	.215(b)(3)	Vaccinations, HBV	.1030(f)
Benzene	.1028	Warning labels and signs	.1030(g)(1)
Communication of benzene haz- ards to employees.	.1028(j)	Blotters	.215(c)(1)(v), (c)(6), (d)(5)
Exposure monitoring and meas-	.1028(e)	Board Drop Hammers	.218(e)(2)
urement.	.1020(6)	Boatswain's Chair Scaffolds	.28(j)
Medical surveillance	.1028(i)	Employee Protection	.28(j)(4)
Methods of compliance	.1028(f)	Fiber Ropes	.28(j)(2)
Observation of monitoring	.1028(I)	Life Belts	.28(j)(4)
Permissible exposure limit	.1028(c)	Roof Irons, Hooks	.28(j)(6)
Protective clothing and equipment	.1028(h)	Seat Slings	.28(j)(3)
Recordkeeping	.1028(k)	Size	.28(j)(1)
Regulated areas	.1028(d)	Tackle	.28(j)(5)
Respiratory protection	.1028(g)	Boom Guards:	
Benzidine	.1003	Cranes	.180(j)(2)
Area requirements	.1003(c)	Derricks	.181(j)(5)(ii)
Closed system operation	.1003(c)(2)	Booms, Derricks	.181(i)(6)
Isolated systems	.1003(c)(1)	Boring Machines	.213(I)
Maintenance and decon- tamination activities.	.1003(c)(5)	Brakes: Bandsaws	.213(j)(1)
Open-vessel system oper-	.1003(c)(3)	Bridges	.179(f)(4), (6)
ations.	.1000(0)(0)	Control	.179(f)(4), (6)
Transfer from a closed oper-	.1003(c)(4)	Cranes	.179(f)
ation.		Friction, Power Presses	.217(b)(2)
			.179(f)(1)
Medical surveillance	.1003(g)	TUISIS	1 . 1 / 3(1)( 1 /
Examinations	.1003(g) .1003(g)(1)	Hoists Holding	.179(f)(1)
Examinations	.1003(g)(1)	Holding	.179(f)(2)

Subject term	Section No.	Subject term	Section No.
Trolleys	.179(f)(4), (5)	1,3 Butadiene:.	
Brazing: (see also Welding)	.252	Permissible Exposure Limits	.1051(c)
Definitions	.251	Exposure Monitoring	.1051(d)
Standards Sources	.256	Regulated Areas	.1051(e)
Breast Derricks: (see also Derricks)	.181(a)(4)	Methods of Compliance	.1051(f)
Bricklayers' Square Scaffolds	.28(1)	Exposure Goal Program	.1051(g)
Bridge Bumpers, Cranes	.179(e)(2)	Respiratory Protection	.1051(h)
Bridge Plates: (see also Dockboards)	.30(a)	Protective Clothing and Equipment	.1051(i)
Buffing: (see Grinding, Polishing and	` '	Emergency Situations	.1051(j)
Buffing)		Medical Screening and Surveil-	.1051(k)
Building Maintenance Powered Plat-	.66	lance.	, ,
forms.		Communication of BD Hazards to	.1051(I)
Buildings, Sawmills	.265(c)	Employees.	()
Bulk Delivery:	. ,	Recordkeeping	.1051(m)
Blasting Agents	.109(g)(3), (h)(4)	Cabinets, Flammable and Combustible	.106(d)(3)
Explosives	.109(h)(4)	Liquid storage.	(-)(-)
Bulk Oxygen Systems	.104	Size	.106(d)(3)(i)
Accessibility	.104(b)(2)(ii)	Fire resistance	.106(d)(3)(ii)
Cleaning	.104(b)(8)(i)	Cabs:	
Clear Zone	.104(b)(10)(ii)	Cranes	.179(c), (o)(2);
Containers	.104(b)(4), (6)	2.2.00	180(i)(3)
Gaseous	.104(b)(4)(iii)	Derricks	.181(j)(6)
Liquid	.104(b)(4)(ii)	Cadmium	.252(c)(9)
Dikes	.104(b)(2)(v)	Airborne Concentration	.1027(c)
Distances from Hazards	.104(b)(3)	Compliance	.1027(c)
Combustible Liquids	.104(b)(3)(vii), (viii)	Confined Spaces	.252(c)(9)(ii)
Combustible Materials	.104(b)(3)(x)	Emergency Situations	.1027(h)
Combustible Structures	.104(b)(3)(ii)	Exposure, Permissible	.1027(II)
Congested Areas	.104(b)(3)(xiii)	Hazard Communication	.1027(c)
Fire Resistant Structures	.104(b)(3)(iii)	Housekeeping	.1027(III) .1027(k)
Flammable Gases	.104(b)(3)(ix)	Hygiene Areas and Practices	.1027(k)
Flammable Liquids		Indoors	.252(c)(9)(i)
Openings	.104(b)(3)(v), (vi)		
-1 3-	.104(b)(3)(iv)	Medical Surveillance Monitoring	.1027(l)
Slow-Burning Materials	.104(b)(3)(xi)		.1027(d)
Electrical Wiring	.104(b)(8)(ix)	Personal Protective Equipment	.1027(i)
Firewalls	.104(b)(3)(viii)	Clothing	.1027(i)
Fittings	.104(b)(5)	Recordkeeping	.1027(n)
Inspection	.104(b)(10)(i)	Regulated Areas	.1027(e)
Installation	.104(b)(8)(iv)	Respiratory protection	.1027(g)
Joints	.104(b)(8)(ii)	Warning Labels	.252(c)(1)(v),
Leakage	.104(b)(2)(iii)	Calcium Carbide:	
Liquid Oxygen Vaporizers	.104(b)(7)	Indoors	.253(g)(2)
Grounding	.104(b)(7)(iv)	Packaging	.253(g)(1)
Location	.104(b)(2)	Storage	.253(g)(2), (3)
Maintenance	.104(b)(10)	Calenders	.262(ee)
Marking	.104(b)(8)(viii)	Rubber and Plastics Industry:	
Operating Instructions	.104(b)(9)	Alarms	.216(g)
Piping	.104(b)(5)	Location Protection	.216(d)(2)
Placarding	.104(b)(8)(viii)	Safety Controls	.216(c)
Safety Relief Devices	.104(b)(6), (7)(ii)	Stopping Limits	.216(f)(1), (3)
All Containers	.104(b)(6)(i)	Switches, Trip and Emer-	.216(e)
ASME Containers	.104(b)(6)(iii)	gency.	
DOT Containers	.104(b)(6)(ii)	Textiles	.262(ee)
Security	.104(b)(8)(vi)	Canisters, Gas Mask: (see Gas Mask	
Storage Containers	.104(b)(4), (6)	Canisters, Respirators)	
Testing	.104(b)(8)(v)	Cantilever Gantry Cranes: (see Gantry	
Tubing	.104(b)(5)	Cranes)	
Vaporizers	.104(b)(7)	Carpenters' Bracket Scaffolds	.28(k)
Ventilation	.104(b)(3)(xii)	Bracket Attachment	.28(k)(2)
Venting	.104(b)(8)(vii)	Bracket Dimensions	.28(k)(1)
ulk Plants, Flammable and Combus-	.106(f)	Employee Protection	.28(k)(3)
tible Liquids.	**	Guardrails	.28(k)(5)
Buildings	.106(f)(2)	Platform Size	.28(k)(4)
Drainage	.106(f)(7)	Caustics	.262(00)
Electrical Equipment	.106(f)(5)	Emergency Showers	.261(g)(18)(i)
Fire Protection	.106(f)(8)	Pipeline Identification	.261(h)(3)(vi)
Ignition Sources	.106(f)(6)	Caution Signs and Labels	.145(c)(2), (d)(4)
Liquid Storage	.106(f)(1)	Asbestos	.1001(g)
Loading	.106(f)(1)	Fluorides	.252(c)(1)(iv)
Waste Disposal	.106(f)(7)	Ionizing Radiation	.96(e), (g), (h)
Wharves	.106(f)(7)	Welding	.252(c)(1)(iv)
umpers:	.100(1)(7)	Ceiling Workers' Scaffolds: (see also	.28(0)
	.179(e)(2)	Plasterers' Scaffolds).	.20(0)
Bridge			

Subject term	Section No.	Subject term	Section No.
•		<u> </u>	
Change Rooms: Asbestos	1001(d)(4)	Powder Coatings Powered Platforms	.107(I)(4)(i) .66(e)(7)
Drying Facilities	.1001(d)(4) .141(f)	Respirators	
	.141(i)		.134(f)(3)
Separate Facilities		Solvents	.107(g)(5)
Charge InitiationChemical Plants: (see also Refineries,	.109(e)(4)	Spray Booths	.107(b)(9)
	.106(i)	Spraying Operations	.107(g)(2)
Chemical Plants and Distilleries).	4000	Cleaning Compounds	.252(c)(11)
Chemicals, hazard communication	.1200	Degreasing	.252(c)(11)(ii)
Chemicals, hazardous; occupational		Manufacturer's Instructions	.252(c)(11)(i)
exposure in laboratories:		Cleaning Solvents:	
Chemical Hygiene Plan	.1450(e)	Spraying	.107(g)(5)
Exposure determination, moni-	.1450(d)	Clear Zones:	
toring.		Bulk Oxygen Systems	.104(b)(10)
Hazard identification	.1450(h)	Industrial Plants	.106(e)(9)(iv)
Hygiene recommendations	.1450, App. A	Liquefied Hydrogen Systems	.103(c)(5)(ii)
Medical consultations and exami-	.1450(g)	Processing Plants	.106(h)(8)(iv)
nations.	(0)	Clearances:	
Permissible exposure limits	.1450(c)	Cranes	.179(b)(6), .180(j)(1
Recordkeeping	.1450(j)	Derricks	.181(j)(5)
Respirator use	.1450(j)	Fixed Ladders	.27(c)
		Back	.27(c)(4)
Training	.1450(f)	Climbing Side	
Chemicals, highly hazardous; process	.119		.27(c)(1)
safety management.	440 4 4	Grab Bars	.27(c)(5)
Chemicals, toxic and reactive,	.119, App. A	Hatch Covers	.27(c)(7)
threshold list.		Step-Across Distance	.27(c)(6)
Compliance guidelines	.119, App. A	With Cages or Baskets	.27(c)(3)
Contractor, employer responsibil-	.119(h)	Without Cages or Wells	.27(c)(2)
ities.		Manlifts	.68(b)(11)
Emergency planning and response	.119(h)	Spraying Discharges	.107(d)(8)
Hot work (welding) permits	.119(n)	Stairs	.24(i)
Trade secrets	.119(p)	Clothing, Protective: (see also Per-	.252(b)(3), .132
Training	.119(g)	sonal Protective Equipment).	- (-/(-//
hicago Boom Derricks: (see also Der-	.181	Asbestos	.1001(d)(3)
ricks).	.101	Body	
	00(4)		.156(e)(3)
Chicken Ladders: (see also Crawling	.28(t)	Electrical	.137
Boards).	1000	Eye	.133, .156(e)(5)
is-Chloromethyl ether	.1003	Face	.133,.156(e)(5)
Area requirements	.1003(c)	Fire brigade	.156
Closed system operation	.1003(c)(2)	Footwear	.136,.156(e)(2)
Isolated systems	.1003(c)(l)	Goggles	.133
Maintenance and decon-	.1003(c)(5)	Hand	.156(e)(4)
tamination activities.		Head	.135, .156(e)(5)
Open-vessel system oper-	.1003(c)(3)	Helmets	.135
ations.	( - / ( - /	Leg	.156(e)(3)
Transfer from a closed oper-	.1003(c)(4)	Rubber	.137
ation.	.1000(0)(4)	Storage	.107(g)(4)
Medical surveillance	1002(a)	Welders	
	.1003(g)		.252(b)(3)
Examinations	.1003(g)(1)	Clutches	.217(b)(3), (7)
Records	.1003(g)(2)	Definition	.180(a)(19)
Regulated area requirements	.1003(d)	Power Transmission Apparatus	.219(k)
Contamination control	.1003(d)(4)	Coatings, Spray:	
Emergencies	.1003(d)(2)	Dual Component	.107(m)
Hygiene facilities and prac-	.1003(d)(3)	Organic Peroxide	.107(m)
tices.		Powder	.107(l)
Reports	.1003(f)	Undercoatings	.107(k)
Incidents	.1003(f)(2)	Collars	.219(i)
Operations	.1003(f)(1)	Coke oven emissions	.1029
Signs, information, and training	.1003(i)(1)	Employee information and training	.1029(k)
Container contents identifica-			
	.1003(e)(2)	Exposure monitoring and meas-	.1029(e)
tion.		urement.	
Lettering	.1003(e)(3)	Hygiene facilities and practices	.1029(i)
Prohibited statements	.1003(e)(4)	Medical surveillance	.1029(j)
Signs	.1003(e)(1)	Methods of compliance	.1029(f)
Training and indoctrination	.1003(e)(5)	Observation of monitoring	.1029(n)
Chute Openings	.23(a)(2)	Permissible exposure limit	.1029(c)
Circular Resaws	.213(e)	Protective clothing and equipment	.1029(h)
Circular Saws	.213(f)	Precautionary signs and labels	.1029(I)
Arbors		Recordkeeping	.1029(n)
	.213(s)(4)		
Portable	.243(a)(1)	Regulated areas	.1029(d)
Clean Air, Spray Finishing	.94(c)(7)	Respiratory protection	.1029(g)
Cleaning:		Color Codes:	
	.169	Air Contaminants	.134(g)(6)
Air Receivers			
Air Receivers  Bulk Oxygen Systems  Compressed Air	.104(b)(8)(i) .242(b)	Danger	.144(a)(1)(ii),

Subject term         Section No.           Effective Dates         .149           Gas Mask Canisters         .134(g)(6)           Physical Hazards, Colors         .144(a), .145(d)(2)	Subject term  Processing plants	Section No.
Gas Mask Canisters	Proceeing plante	400(5)(4)
		.106(h)(4)
Filysical fidzards, Colors   .144(a), .145(d)(z)	Gaseous Hydrogen Systems	.103(b)(1)(i)
Respirators134(g)(6)	Guarding Liquified Hydrogen Systems	.212(a)(4)
Respirators	Liquefied Petroleum Gases	.103(c)(1)(i) .110
Stop	Spraying	.107(e)(3), (5)
Combustible Dusts, Trucks Used178(c)(2)(vi)	Welding, Gas	.253(a), (b)
	ntainers, Liquefied Petroleum Gases	.110
and Combustible Liquids).	Accessories	.110(b)(7); (c)(6);
Effective Dates		(d)(3), (8); (e)(5)
Standards Sources	Awaiting Use or Resale	.110(f)
Combustible Materials:	Capacity	.110(d)(6), (h)(5)
Welding	Charging Plants	.110(d)(13)
Communicable Diseases Reporting: Labor Camps	Construction  Cylinder Systems	.110(b)(3) .110(c)
Communications, Powered Platforms66(e)(11)(vi)	Accessories	.110(c)(6)
Compressed Air, Cleaning	Indoor	.110(c)(5)
Compressed Air Equipment: (see also	Markings	.110(c)(2)
Compressed Gas Equipment)	Outdoor	.110(c)(4)
Air Receivers	Valves	.110(c)(6)
Compressed Gas Cylinders: (see also   .253(a)(2)	Filling Densities	.110(b)(12)
Compressed Gases).	Fire Protection	.110(d)(14)
Approval	Fittings	.110(b)(8); (e)(6);
Inspection	Usses	(h)(7), (9)
Manifolding	HosesIndustrial Plants	.110(b)(9)
Markings	Installation	.110(d)(12) .110(e)(4), (h)(6)
Oxygen Manifolds	Lighting	.110(e)(4), (1)(0)
Public Protection	Location	.110(b)(6), (f)(5)
Safety Relief Valves	Markings	.110(b)(5), (c)(2)
Standards Sources	Non-DOT Containers	.110(d)
Storage	Accessories	.110(d)(3)
Compressed Gas Equipment: (see	Capacity	.110(d)(6)
Compressed Gas Cylinders)	Installation	.110(d)(7)
Compressed Gases: (see also Com101	Pipes	.110(d)(3)
pressed Gas Cylinders).	Pressure, Design	.110(d)(2)
Effective Dates	Reinstallation Safety Relief Devices	.110(d)(5)
Safety Relief Devices	Valves	.110(d)(4) .110(d)(3)
Standards Sources	Original Testing	.110(b)(4)
Storage	Piping	.110(b)(8), (d)(3),
Conductors: (see also Electric Wiring)		(e)(6), (h)(10),
Cranes		(h)(9)
General Wiring	Pressure Design	.110(d)(2), (e)(3)
Confined Spaces, Hazardous work120(b)(4)(ii)(I),	Safety Relief Devices	.110(b)(10), (c)(7),
(c)(3)		(d)(4), (e)(7),
Electrical safety-related work prac333(c)(5)	Tudeling	(h)(4)
tices. Confined Spaces:	Tubing Valves	.110(b)(8), (e)(6)
Atmospheric testing flow charts146, App. B	valves	.110(b)(7), (c)(6), (d)(3), (e)(5),
Attendant duties		(h)(9)
Authorized entrant duties	Vaporizers	.110(b)(11), (d)(17),
Entry supervisor duties		(e)(8)
Flow chart, decisions	Welding	.110(b)(4)
. ,	ntrollers:	
to.	Cranes	.179(g)(3)
	nveyors:	
Program examples	Bakeries	.263(d)(7), (i)(7)
Rescue and emergency services146(k)	Electrostatic Spraying	.107(h)(7)
Sewer system entry	Forging Machines	.218(j)(3)
Training	Spray Booths	.265(c)(18)
Containers: (see also Tank Storage, Containers: Contai	rrosion Protection:	.107(b)(7)
Portable)	Piping, Valves and Fittings	.106(c)(5)
Ammonium Nitrate	Storage Tanks	.106(b)(1)(vi)
Bulk Oxygen Systems	Underground Tanks	.106(b)(3)(iii)
Gaseous	tton Dust	.1043
Liquid	unterbalances	.217(b)(9)
Flammable and Combustible Liq106(d) Combustible Liq-	unterweights:	
uids.	Cranes	.180(i)(2)
	vers, Openings:	00(-)-00(-)-11
Bulk plants, storage106(f) Industrial plants, storage106(e)(2)(ii)	Working Surfaces	.22(e);23(a)(1),
Industrial plants, storage   .106(e)(2)(ii) Service stations, storage   .106(g)(1)		(3)(i), (5), (6), (8)(ii), (9)
Corvice stations, storage 1.100(y)(1)		(0)(11), (3)

		· ·		
Subject term	Section No.	Subject term	Section No.	
Cranes:		Signs and labels	.1044(o)	
Crawler	.180	Dead-Man Controls	.243(a)(2)	
Definitions Effective Dates	.179(a)	Decorators' Scaffolds: (see also Plasterers' Scaffolds).	.28(0)	
Effective Dates	.179(b)(2), .180(b)(2), .182	Degreasing:		
Electric	.306(b)	Cleaning Compounds	.252(c)(11)(ii)	
Gantry	.179	Derricks:	.202(0)(11)()	
Locomotive	.180	Adjustments	.181(f)(3)	
Overhead	.179	Cabs	.181(j)(6)	
Pulp and Paper Mills	.261(c)(8)	Electric Power Lines	.181(j)(5)	
Standards Sources	.183	Fire Extinguishers	.181(j)(3)	
Truck	.180	Guards	.181(j)(1)	
Crawler Cranes: (see also Crawler, Lo-	.180	Hooks	.181(j)(2)	
comotive and Truck Cranes).		Inspections	.181(d) and (g)	
Crawler, Locomotive and Truck Cranes	.180	Load Handling Load Ratings	.181(i)	
Cabs	.180(i)(3)	Maintenance	.181(c) .181(f)	
Electric Power Lines	.180(j)	Operations	.181(h)	
Fire Extinguishers	.180(i)(5)	Refueling	.181(j)(4)	
Inspections	.180(d)	Repairs	.181(f)(3)	
Frequent	.180(d)(3)	Rope Inspections	.181(g)	
Idle (Irregular) Initial	.180(d)(5) .180(d)(1)	Standards Sources	.183	
Periodic	.180(d)(1)	Testing	.181(e)	
Records	.180(d)(6)	3,3'-Dichlorobenzidine (and its salts)	.1003	
Ropes	.180(g)	Area requirements	.1003(c)	
Load Handling	.180(h)	Closed system operation	.1003(c)(2)	
Load Ratings	.180(c)	Isolated systems	.1003(c)(1)	
Maintenance	.180(f)	Maintenance and decon-	.1003(c)(5)	
Refueling	.180(i)(4)	tamination activities.	4000(-)(0)	
Rope Inspection	.180(g)	Open-vessel system oper-	.1003(c)(3)	
Standards Sources	.183	ations.  Transfer from a closed oper-	1002(a)(4)	
Swinging Locomotives	.180(i)(6)	ation.	.1003(c)(4)	
Testing	.180(e)	Medical surveillance	.1003(g)	
Crawling Boards	.28(t)	Examinations	.1003(g)(1)	
Crosscut Table Saws	.213(d)	Records	.1003(g)(1)	
Cup Wheels	.243(c)(2)	Regulated area requirements	.1003(d)	
Flaring-Cup, Type 11	.241(b)(8)	Contamination control	.1003(d)(4)	
Straight-Cup, Type 6	.241(b)(9)	Emergencies	.1003(d)(2)	
Straight, Type 1	.241(b)(10)	Hygiene facilities and prac-	.1003(d)(3)	
Curing Apparatus: (see Drying, Curing		tices.	. , , ,	
and Fusion Apparatus)	050	Reports	.1003(f)	
Cutting: (see also Welding) Containers	.252	Incidents	.1003(f)(2)	
Definitions	.252(a)(3) .251	Operations	.1003(f)(1)	
Ventilation	.252(c)	Signs, information, and training	.1003(e)	
Cutting-Off Machines	.215(b)(5)	Container contents identifica-	.1003(e)(2)	
Cutoff Couplings	.219(k)(1)	tion.		
Cutoff Saws, Swing	.213(g)	Lettering	.1003(e)(3)	
Cylinders, Welding Gas	.253(b)	Prohibited statements	.1003(e)(4)	
Manifolding	.253(c)	Signs	.1003(e)(1)	
Operating Procedures	.253(b)(5)	Training and Indoctrination Dies	.1003(e)(5) .217(d)	
Storage	.253(b)(2)-(4)	Changing	.217(d) .218(h)(5)	
Cylindrical Grinders	.215(b)(4)	Fastening	.217(d)(7)	
Danger:		Guide Post Hazards	.217(d)(4)	
Color Codes	.144(a)(1)(ii)	Handling	.217(d)(3), (8)	
Signs	.145(c)(1), (d)(2)	Requirements	.217(d)(1)	
Tag	.145(f)(5)	Scrap:	''	
Dates, Effective: (see Effective Dates)		Ejecting	.217(d)(2)	
DBCP (1,2–Dibromo 3–	.1044	Handling	.217(d)(3)	
Chloropropane).	1011(")	Selling	.217(d)(9)	
Emergency situations	.1044(i)	Stroke	.217(d)(6)	
Employee information and training	.1044(n)	Tonnage	.217(d)(6)	
Exposure monitoring	.1044(f)	Unitized Tooling	.217(d)(5)	
Housekeeping	.1044(k)	Weight	.217(d)(6)	
Hygiene facilities and practices	.1044(I)	Diesel Powered Trucks	.178(b)(1)–(3)	
Medical surveillance	.1044(m)	Dikes:	404/5/(0)/ )	
Methods of compliance	.1044(g)	Bulk Oxygen Systems	.104(b)(2)(v)	
Notification of use	.1044(d)	Storage Tanks	.106(b)(2)(vii), (c)	
	.1044(q)	4-Dimethylaminoazobenzene	.1003	
Observation of monitoring				
Permissible exposure limit	.1044(c)	Area Requirements	.1003(c)	
Permissible exposure limit Protective clothing and equipment	.1044(j)	Closed System Operation	.1003(c)(2)	
Permissible exposure limit				

Subject term	Section No.	Subject term	Section No.
Open-vessel System Oper- ations.	.1003(c)(3)	Industrial PlantsLabor Camps	.106(e)(3)(iii)
Transfer from a closed oper-	.1003(c)(4)	Materials Handling	.142(a) .176(d)
ation.	.1003(0)(4)	Processing Plants	
	1002(a)	Service Stations	.106(h)(3)(ii)
Medical surveillance  Examinations	.1003(g) .1003(g)(1)	Sprinkler Systems	.106(g)(7) .159(c)(7)
Records	.1003(g)(1)	Storage Tanks	.106(b)(2)(vii)(c)
Regulated Area Requirements	.1003(g)(2)	Drains:	.100(b)(2)(vii)(c)
Contamination Control		Air Receivers	.169(b)(2)
Emergencies	.1003(d)(4)	Dressing Rooms, Personnel	.141(e)
Hygiene facilities and prac-	.1003(d)(2) .1003(d)(3)	Drips, Condensed Gas	.110(d)(11)
tices.	.1000(u)(0)	Drives—Belt, Rope and Chain	.219(e), (g), (o)(3)
Reports	.1003(f)	Belt Tighteners	.219(e)(6)
Incidents	.1003(f)(2)	Cone-Pulley Belts	.219(e)(5)
Operations	.1003(f)(1)	Horizontal Belts and Ropes	.219(e)(1)(i)
Signs, Information, and Training	.1003(i)(1)	Inclined Belts	.219(e)(3)
Container Contents Identifica-	.1003(e)(2)	Overhead Horizontal Belts	.219(e)(2)
tion.	.1003(e)(2)	Vertical Belts	.219(e)(3), (4)
	1000(=)(0)		
Lettering	.1003(e)(3)	Drums	.212(a)(4)
Prohibited Statements	.1003(e)(4)	Dry Chemical Extinguishing Systems,	.161
Signs	.1003(e)(1)	Fixed.	161(2)
Training and Indoctrination	.1003(e)(5)	Scope and Application	.161(a)
ining Facilities: (see also		Specific Requirements	.161(b)
Lunchrooms)	4.40(1)	Drying:	107/4\/10\
Labor Camps	.142(i)	Spraying Operations	.107(d)(12)
Dip Tanks:	.123126	Drying, Curing, and Fusion Apparatus	.107(j)
Application	.123(a)	Adjacent System	.107(j)(3)
Bottom Drains	.125(c)	Alternate Use:	
Construction	.124(a), .125(a)	Permitted	.107(j)(4)
Conveyors	.125(d), .126(g)(2)	Prohibited	.107(j)(2)
Covers	.125(f)(3)	Conformance	.107(j)(1)
Electrical Ignition Sources	.125(e)(1)	Powder Coatings	.107(I)(3)
Electrostatic Apparatus	.126(g)	Spraying Rooms	.107(j)(2)
Fire Extinguishers	.125(f)(2)(i)	Dual Component Coatings	.107(m)
Fire Protection	.125(f)	Dust Hazards:	
Flow Coating	.126(b)	Abrasive Blasting	.94(a)(2)
Hardening	.126(a)(1)(i),(ii)	Asbestos	.19, .93a
Heating	.125(g)	Employee Exposure	.1000(a)
Ignition Sources	.125(e)	Grain handling facilities	.272
Inspections	.124(j)(1),(3)	Effective Dates:	
Liquid Storage	.125(e)(2)	Abrasive Wheels	.220
Maintenance	.125(e)(4)	Accident Prevention Signs and	.149
Overflow Pipes	.125(b)	Tags.	
Sprinklers	.125(f)	Acetylene	.114
Tempering	.126(a)	Air Contaminants	.98
Ventilation	.124(b), .125(d)(2)	Anhydrous Ammonia	.114
Warning Signs	.125(e)(2)	Asbestos	.1001(b)(1), (2); .9
Waste Cans		Blasting Agents	.114
	.125(e)(4)(ii),(iii)		.138
Disposal Systems: (see Waste Disposal Systems)		Clor Codes	.149
posal Systems)		Color Codes	
Distances From Hazards:	100(:)/E)	Combustible Liquids	.114
Ammonium Nitrate	.109(i)(5)	Compressed Gases	.114
Bulk Oxygen Systems	.104(b)(3)	Cooperage Machinery	.220
Electrostatic Spraying	.107(h)(6)	Crawler, Locomotive, and Truck	.180(b)(2), .182
Explosives Storage	.109(c)	Cranes.	404(1)(0) 455
Ignition Sources, Separation	.107(c)(2)	Derricks	.181(b)(2), .182
Spray Booths, Separations	.107(b)(8)	Dies	.217(d)(1)
Distilleries: (see also Refineries,	.106(i)	Dip Tanks	.114
Chemical Plants and Distilleries).		Environmental Controls	.98, .149
stribution Plates:		Explosives	.114
Spray Booths	.107(b)(4)	Federal Standards	.17
ividers, Bakery Equipment	.263(f)	Flammable Liquids	.114
iving, Commercial	.401, .410, .411,	Forging	.221
	.420427, .430,	Guarding Machinery	.220
	.440, .441	Hand-Held Equipment	.245
Recreational instructors and	.401(a)(3)	Hazardous Materials	.114
guides, alternative requirements.		Hydrogen	.114
Scientific	.401(iv), 402, ap-	Indoor Storage	.182
22.5	pendix B	Ionizing Radiation	.98
Oockboards	.30(a)	Labor Camps	.142(d)(7), .149(b
Dough Brakes, Manually Fed		Liquefied Petroleum Gases	
Orag Saws	.263(h)	Liquelled Felloleulli Gases	.110(b)(19)(i), (i)(
	.213(r)	Machinany	.11
Orainage:	(0 (-)	Machinery  Machinery Guarding	.221 .220
Bulk Plants			

Subject term	Section No.	Subject term	Section No.
· · · · · · · · · · · · · · · · · · ·	.182	Appliances	.305(j)(3)
Materials Handling  Mechanical Power Presses	.220	Approval	.303(a)
Mechanical Power Transmission	.221	Arcing Parts	.303(d)
Apparatus.		Attachment Plugs (Caps)	.304(j)(2)
Mills and Calenders	.216(a)(1), (2); .220	Boxes	.305(b)
National Electrical Code	.309	Branch Circuits	.304(b)
Nitrous Oxide	.114	Bulk Oxygen Systems	.104(b)(8)(ix)
Noise Exposure	.98	Bulk Plants	.106(f)(5)
Nonionizing Radiation	.98	Cabinets	.305(b)
Nonwater Disposal Systems	.149	Capacitors	.305(i)(6)
Occupational Health	.98	Communications Systems	.308(e)
Overhead and Gantry Cranes	.179(b)(2), .182	Conductors	.305(f)
Oxygen	.114	Cranes	.179(g), .306(b)
Physical Hazards Markings	.149	Data Processing Systems	.306(e)
Powered Industrial Trucks	.182	Electrolytic Cells	.306(h)
Powered Tools, Hand and Port-	.245	Elevators	.306(c)
able.	004(-)	Emergency Systems	.308(b)
Pulp and Paper Mills	.261(n)	Enclosures for Damp or Wet Loca-	.305(e)
Pulpwood Logging Safety Color Codes	.266(f) .149	tions.	000()
Sanitation	.149	Escalators	.306(c)
Sawmills	.265(j)	Examination of Equipment	.303(b)(1)
Signs and Tags	.149	Fire Protective Signaling Circuits	.308(d)
Spray Finishing	.114	Fittings	.305(b)
Standpipe and Hose Systems	.165	Fixture WiresFlexible Cords and Cables	.305(i)
Ventilation	.98	General requirements	.305(g) .303
Woodworking	.220	Grounded and Grounding Conduc-	.304(a)
Electric controls, Mechanical Power	.217(b)(8)	tors, Installation and Use.	.504(a)
Presses.		Grounding	.304(f)
Electric energy, hazardous; control of		Guarding Live Parts	.303(g)(2), (h)(2)
(see Lockout/tagout)		Hand Spraying	.107(i)(5)
Electric Equipment: (see Electrical Wir-		Hazardous (Classified) Locations	.307
ing)		Heating Equipment	.306(g)
Electric Ignition Sources: (see Ignition	.107(c), (d)(5)	High Voltage (Over 600 Volts):	1000(9)
Sources).	107( 1)(5)	General	.308(a)
Electric Motor Ignition Sources	.107(d)(5)	Grounding	.304(f)(7)
Electric power generation, trans-	.269	Guarding	.303(h)(2)
mission, and distribution.  Definitions	.269(x)	Workspace	.303(h)(3), (h)(4)
Enclosed spaces	.269(e)	Hoists	.306(b)
Fall protection	.269(g)(1)	Identification of Disconnecting	.303(f)
Hazardous energy control (Lock-	.269(d)	Means and Circuits.	
out/tagout).	.200(u)	Ignition Sources	.107(c)(4), (6)
Ladders, platforms, steps, etc	.269(h)	Industrial Plants	.106(e)(7)
Live-line tools	.269(j)	Installation and Use of Equip-	.303(b)(2)
Materials handling and storage	.269(k)	ments.	000(1)
Mechanical equipment	.269(p)	Irrigation Machines	.306(i)
Medical services and first aid	.269(b)	Lamps	.305(j)(1)
Overhead lines	.269(q)	Liquefied Hydrogen Systems	.103(c)(1)(ix)
Personal protective equipment	.269(g), (n)(4),	Liquefied Petroleum Systems	.110(b)(17), (18),
	(r)(2)(v), (r)(4)(ii)	Marking	(h)(13) .303(e)
Power tools, hand and portable	.269(i)	Motors	.305(e) .305(j)(4)
Telecommunications facilities	.269(s)	Moving Walks	.306(c)
Testing and test facilities	.269(o)	Outline Lighting	.306(c)
Training	.269(a)(2), (b)(1),	Outside Conductors	.304(c)
	(d)(2), (e)(2), (a)(3)(i) (r)(1)(vi)	Overcurrent Protection	.304(e)
Tree trimming, line-clearance	(q)(3)(i), (r)(1)(vi) .269(r), (a)(1)(E)	Panelboards	.305(d)
Water, work near	.269(w)(5)	Portable Cables	.305(h)
Electric Power Lines:	.203(W)(3)	Powder Coatings	.107(I)(1)
Crane Operations	.180(j)	Power-Limited Circuits	.308(c)
Boom Guards		Processing Plants	.106(h)(7)(iii)
Clearances	.180(j)(1)	Receptacles	.305(j)(2)
Notifying Owners	.180(j)(3)	Remote Control Circuits	.308(c)
Overhead Wires	.180(j)(4)	Services	.304(d)
Derrick Operations	.181(j)(5)	Service Stations	.106(g)(5)
Boom Guards	.181(j)(5)(ii)	Signaling Circuits	.308(c)
Clearances	.181(j)(5)(i)	Signs	.306(a)
Notifying Owners	.181(j)(5)(iii)	Splices	.303(c)
Overhead Wires	.181(j)(5)(iv)	Spraying Operations	.107(c)(4), (6),
Safety-related work practices	.333(c)(3)		(i)(1)–(5)
Electric Powered Trucks	.178(b)(4)–(7),	Storage Batteries	.305(j)(7)
	.120(g)(3)	Storage Rooms	.106(d)(4)(iii)
Electric wiring:	400(1)(0)	Swimming Pools	.306(j)
Ammonium Nitrate	1.109(1)(6)	Switchboards	.305(d)

			I
Subject term	Section No.	Subject term	Section No.
Switches	.305(c)	Environmental Controls:	
Transformers	.305(j)(5)	Accident Prevention Signs and	.145
Type F Powered Platforms  Type T Powered Platforms	.66(c)(22) .66(d)(6)	Tags. Air Contaminants	.93
Welders	.306(d)	Asbestos	.93a
Wiring Design and Protection	.304	Effective Dates	.98, .149
Wiring Methods	.305(a)	Labor Camps	.142
Work practices, safety-related Working Space about Electric	.331335	Marking Physical Hazards	.144
Equipment.	.303(g)(1), (h)(3), (h)(4)	Noise Exposure Physical Hazards Markings	.95 .144
X-Ray Equipment	.306(f)	Radiation:	.144
Electrical Installations	.301–.399	lonizing	.96
Electrical Protective Equipment	.137, .268(f)	Nonionizing	.97
Design Care and use, in-service	.137(a) .137(b)	Safety Color Codes	.144
Electrical safety-related work practices	.331–.335	Sanitation Signs and Tags	.141 .145
Confined spaces	.333(c)(5)	Standards Sources	.99, .150
Illumination	.333(c)(4)	Ventilation	.94
Ladders, portable	.333(c)(7)	Emergency Response, Hazardous	.120
Lockout and tags  Personal protective equipment	.333(b), .335(b)(1)	Waste.	" \ /->
Portable electric equipment	.333(c)(2), .335(a) .334(a)	Equalizers, Crane Hoists	.179(h)(3)
Power lines, overhead	.333(c)(3)	Ethylene Oxide Ethyleneimine	.1047 .1003
Training	.332	Area requirements	.1003(c)
Electromagnetic Radiation: Definitions	.97(a)(1)	Closed system operation	.1003(c)(2)
Nonionizing Radiation	.97(a)(1) .97(a)	Isolated systems	.1003(c)(1)
Protection Guide	.97(a)(2)	Maintenance and decon-	.1003(c)(5)
Warning Symbol	.97(a)(3)	tamination activities. Open-vessel system oper-	.1003(c)(3)
Electrostatic Apparatus: (see also		ations.	
Electrostatic Apparatus, Fixed; Electrostatic Hand Spraying Equipment)		Transfer from a closed oper-	.1003(c)(4)
Powder Coatings	.107(I)(5)–(7)	ation.	
Electrostatic Apparatus, Fixed	.107(h)	Medical surveillance  Examinations	.1003(g)
Powder Coatings	.107(I)(5)	Records	.1003(g)(1) .1003(g)(2)
Spraying:	407/5/4)	Regulated area requirements	.1003(d)
Conformance Conveyors	.107(h)(1) .107(h)(7)	Contamination control	.1003(d)(4)
Fail-Safe Controls	.107(h)(9)	Emergencies	.1003(d)(2)
Fire Protection	.107(h)(12)	Hygiene facilities and prac-	.1003(d)(3)
Grounding	.107(h)(5)	tices. Reports	.1003(f)
Guarding	.107(h)(10)	Incidents	.1003(f)(2)
Insulators Location	.107(h)(5) .107(h)(3)	Operations	.1003(f)(1)
Safe Distances	.107(h)(6)	Signs, information, and training	.1003(e)
Supports	.107(h)(4)	Container contents identifica-	.1003(e)(2)
Ventilation	.107(h)(11)	tion. Lettering	.1003(e)(3)
Electrostatic Hand Spraying Equipment Application	.107(i) .107(i)(1)	Prohibited statements	.1003(e)(4)
Approval	.107(i)(1)	Signs	.1003(e)(1)
Conformance	.107(i)(2)	Training and indoctrination	.1003(e)(5)
Electrical Support Equipment	.107(i)(4)	Evacuation, Ionizing Radiation	.96(f)
Grounding	.107(i)(5)–(7)	Exhaust Air Filters, Spray Booths Exhaust Systems: (see also Ventila-	.107(b)(5) .94(a)(4)
Interlocks Powder Coatings	.107(i)(8) .107(l)(6)	tion) Abrasive Blasting.	.04(4)(4)
Specifications	.107(i)(3), (4)	Grinding, Polishing, Buffing	.94(b)(4)
Spray Gun Grounding	.107(i)(5)	Sawmills	.265(c)(20)
Ventilation	.107(i)(9)	Exhausts, Spraying Operations	.107(d) (3), (7), (9)
Elevating Work Platforms: (see Vehi-	.67	Exits Routes: Alarm System	.37(e)
cle-Mounted Work Platforms). Emergency Action Plans	.38	Capacity	.36(f)
Hazardous waste operations and	.120(I)(1)(ii)	Compliance with Life Safety Code	.35
emergency response, exemption.	(,,,,,,	Construction, Repairs, Alterations	.37(d)
Highly hazardous chemicals, proc-	.119(n)	Coverage	.34
ess safety management. Emergency Lighting	261/b)/2)	Definitions  Design and Controls	.34(c) .36
Employee Alarm Systems	.261(b)(2) .165	Exit Discharge	.36(c)
Installation and Restoration	.165(c)	Exit Locking	.36(d)
Maintenance and Testing	.165(d)	Fire Retardant Paints and Solu-	.37(c)
Manual Operation	.165(e)	tions.	20(=)
Employee-Owned Protective Equipment.	.132(b)	Height and Width Requirements Lighting and Marking of Exits	.36(g) .37(b)
Employee Protection: (see also Per-		Maintenance, Safeguards and	.37(0)
sonal Protective Equipment)		Operational Features.	
Engine Room Guardrails	.219(k)(2)	Number of Routes	.36(b)

			<u> </u>
Subject term	Section No.	Subject term	Section No.
Outdoor Exits	.36(h)	Filters, Spraying	.107(b)(5)
Side-Hinged Doors	.36(e)	Fire Brigades	.156
Emergency Action Plans	.38	Fire Fighting Equipment	.156(d)
Fire Prevention Plans	.39	Organization	.156(b)
Manlifts	.68(b)(8)	Protective Clothing	.156(e)(1)
Explosive-Actuated Fastening Tools  Definitions	.243(d)	Body protection	.156(e)(3)
Fasteners	.241(a) .243(d)(3)	Foot and Leg Protection	.156(e)(2)
High-Velocity Tools	.243(d)(2)(i)	Hand Protection Head, Eye, Face Protection	.156(e)(4) .156(e)(5)
Inspection	.243(d)(2)	Respiratory Protection	.156(f)
Loads	.243(d)(3)	General Requirements	.156(f)(1)
Low-Velocity Tools	.243(d)(2)(ii)	Positive-Pressure Breathing	.156(f)(2)
Maintenance	.243(d)(2)	Apparatus.	.100(1)(2)
Explosives and Blasting Agents	.109	Selection and Distribution	.157(d)
Blast Holes	.109(e)(3)	Training and Education	.156(c)
Bulk Delivery	.109(h)(4)	Fire Prevention Plan	.39
Charge Initiation	.109(e)(4)	Fire Detection Systems	.164
Warning	.109(e)(5)	Installation and Restoration	.164(b)
Chemicals, highly hazardous,	.119	Maintenance and Testing	.164(c)
process safety management.	111	Number, Location, Spacing	.164(f)
Effective Dates Hours of Transfer	.114	Protection of Detectors	.164(d)
Loading	.109(f)(5) .109(e)(3)	Response Time	.164(e)
Magazines	.109(c)(2)	Fire Extinguishers	
Mixing Vehicles	.109(h)(4)	Cranes	.179(c)(3), (i)(5),
Piers	.109(f)	Di.elea	(o)(3)
Pulpwood Logging	.266(c)(7)	Derricks	.180(j)(5)
Railroad Cars and Stations	.109(f)	Dip Tanks	.125(f)(2)(i)
Slurries	.109(h)	Explosives Transportation Powered working platforms	.109(d)(2)(ii)
Small Arms Ammunition	.109(j)	Welding	.66(f)(5)(ii)(I) .252(a)(2)(ii)
Smoking	.109(e)(1)	Fire Extinguishers, Portable	.157
Standards Sources	.115	Exemptions	.157(b)
Storage	.109(c), (f)(4)	General Requirements	.157(c)
Transportation	.109(d)	Hydrostatic Testing	.157(f)
Use	.109(e)	Inspection, Maintenance Testing	.157(e)
Vessels	.109(f)	Selection and Distribution	.157(d)
Water Gels	.109(h)	Training and Education	.157(g)
Air Contaminants	.1000	Fire Prevention Plan	.39
Airborne Radioactive Material	.96(c)	Fire Protection:	
Asbestos	.1001(b)	Ammonium Nitrate	.109(i)(7)
Asbestos Fibers	.1001(b)	Blasting Agents	.109(i)(7)
Limits (Tables G-1 to G-3)	.1000	Bulk Plants	.106(f)(4)(ix), (8)
Mineral Dusts	.1000	Chemical Plants	.106(i)(5)
Minors	.96(b)(3), (c)(2),	Definitions	.155
	(d)(2)(ii)	Distilleries	.106(i)(5)
Noise	.95	Electrostatic Apparatus	.107(h)(12)
Radiation Exposure	.96(b)	Explosives	.109(i)(7)
Extension Ladders, Portable:		Flammable Liquids	.106(d)(7), (e)(5),
Metal	.26(a)(2)		(f)(8), (g)(9), (b)(6), (i)(5)
Metal, Trestle	.26(a)(4)	Industrial Plants	(h)(6), (i)(5) .106(e)(5)
Wood	.25	Liquified Petroleum Gases	.110(d)(14), (f)(7),
Wood, Trestle Extension Lamps, Cranes	.25(c)(3)(v)	Elquillou i ottoloum adooo	(h)(14)
Extractors	.179(g)(7) .262(y)	Local Fire Alarms	.163
Eye and Face Protection	.133	Processing Plants	.106(h)(6)
Markings	.133(a)(4)	Refineries	.106(i)(5)
Optical Corrections	.133(a)(3)	Service Stations	.106(g)(9)
Protectors	.133(a)(2)	Spray Booths	.107(f)
Welding	.252(b)(2)	Cleaning	.107(f)(3)
Face Protection: (see also Eye and	.133 ` ` `	Conformance	.107(f)(1)
Face Protection; Personal Protective		Extinguishers, Portable	.107(f)(4)
Equipment).		Valve Access	.107(f)(2)
Facilities, Labor Camps: (see Labor		Storage Tanks	.106(d)(7)
Camps, Temporary)		Trucks	.178
Fail-Safe Controls, Spraying	.107(h)(9)	Fire Protection Equipment:	444()(4)
Overhead and Gantry Cranes	.179(a)(40),	Color Identification	.144(a)(1)
For Detellar Flore :	(g)(3)(viii)	Fire Brigades	.156(d)
Fan-Rotating Element	.107(d)(4)	Fire Resistance (Rating): Inside Storage Rooms	106(4)(4)(::)
Farm Vehicles, Anhydrous Ammonia	.111(g), (h)	Storage Cabinets	.106(d)(4)(ii)
Fastening Tools	.243(d)(3)	Tank Supports	.106(d)(3)(ii)
Fastening ToolsFibers, Asbestos	.243(d)	Fire Watch, Welding	.106(b)(5)(ii)
Filling Densities, Liquefied Petroleum	.1001(b) .110(b)(12)	Fire watch, welding Fireworks: (see Pytrotechnics)	.252(a)(2)(iii)
Gases.	(5)(12)	First Aid	.262(pp)
<u> </u>	•		(PP)

Subject term	Section No.	Subject term	Section No.
Eye Flushing	.151(c)	Floor Loading	.22(d)
Labor Camps	.142(k)	Floor Openings (Holes)	.23(a)
Pulpwood Logging	.266(c)(1)(vii)	Manlifts	.68(b) (5), (7)
Standards Sources	.153	Flooring: (see also Floor Openings;	
Welding	.252(c)(13)	Floors)	
Fittings: (see Piping, Fittings and Tub-		Type F Powered Platforms	.66(c)(12)
ing; Piping, Valves and Fittings)	100 101 100	Type T Powered Platforms	.66 (b)(5)(iii)(d)
Fixed Extinguishing Systems	.160, .161, .162,	Floors:	00(-)(0)(i)
Dr. Chamical Agent Customs	.163	Covers, Hinged Open-Sided	.23(a)(3)(i)
Dry Chemical Agent Systems Gaseous Agent Systems	.161 .162	Spray Booths	.23(c) .107(b)(3)
General Requirements	.160(b)	Flow Coatings	.126(b)
Total Flooding Systems	.160(c)	Fluidized Beds	.107(I)(7)
Water Spray and Foam Systems	.163	Fluorine Compounds, Welding: (see	.252(c)(5)
Fixed Industrial Stairs: (see Stairs,	.24	also Air Contaminants).	, , , ,
Fixed Industrial).		Foam Extinguishing Systems, Fixed	.163
Fixed Ladders: (see Ladders, Fixed)	.27	Food Handling	.141(h), .120(m)(4
Flammable and Combustible Liquids:		Foot Pedals, Power Presses	.217(b)(4)
Bulk Plants	.106(f)	Foot Protection	.136
Chemical Plants	.106(i)	Footwalks:	470(-1)
Container Marking, color codes	.144(a)(1)(ii)	Cranes	.179(d)
Containers	.106(d)	Fort Operated Davises	.218(a)(3)
Dip Tanks Distilleries	.123–.126 .106(i)	Foot-Operated Devices Gravity	.218(b)(2) .218(e)
Effective Dates	.114	Air Lifts	.218(e)(1)
Hazardous communication	.1200	Board Drop Hammers	.218(e)(2)
Ignition Sources	.106(b)(6), (e)(6),	Keys	.218(b)(1)
·9······	(f)(6), (g)(8),	Power-Driven	.218(d)
	(h)(7)	Cylinder Draining	.218(d)(3)
Industrial Plants	.106(e)	Pressure Pipes	.218(d)(4)
Piping, Valves and Fittings	.106(c)	Safety Cylinder Heads	.218(d)(1)
Pressure Vessels	.106(b)(1)(v)	Shutoff Valves	.218(d)(2)
Process safety management of	.119	Forging Machine Area	.30(b)
highly hazardous chemicals.		Forging Machines:	
Processing Plants	.106(h)	Billet Shears	.218(j)(1)
Refineries	.106(i)	Boltheading	.218(i)(1)
Service Stations	.106(g) .107	Conveyors  Definitions	.218(j)(3)
Spray Finishing Storage and Handling	.107(e)	Effective Dates	.211(e) .220
Conformance	.107(e)(1)	Grinding	.218(j)(5)
Containers	.107(e)(3), (5)	Hammers	.218(a)(3), (b), (d)
Hoses	.107(e)(6)		(e)
Grounding	.107(c)(9), (e)(9)	Inspections	.218(a)(2)
Liquid Heaters	.107(e)(7)	Lead Use	.218(a)(1)
Liquid Transfer	.107(e)(4)	Maintenance	.218(a)(2)
Pipes	.107(e)(6)	Presses	.218(a)(3), (c), (f),
Pump Relief	.107(e)(8)		(g)
Quantity	.107(e)(2)	Rivet Making	.218(i)(2)
Safety Relief Devices	.107(e)(8)	Saws	.218(j)(2)
Spraying Containers	.107(e)(5)	Shot Blast	.218(j)(4)
Standards Sources	.115	Standards Sources	.221
Storage Containers	.106(d)	Upsetters	.218(h)
Storage Tanks	.106(b), (d)	Forging Presses	.218(f)
Tanks Flammable Materials, Trucks Used	.106(b), (d) .178(c)(2)	Fork Trucks: (see also Powered Industrial Trucks).	.178
Flanges, Abrasive Wheel Machinery	.215(a)(3), (c)	Formaldehyde	.1048
Balance	.215(a)(3), (c)	Airborne Concentration	.1048(c)
Blotters	.215(c)(1)(v), (c)(6),	Compliance	.1048(f)
	(d)(5)	Emergencies	
Diameter Uniformity	.215(c)(4)	Exposure. Permissible	.1048(c)
Dimensions	.215(c)(8)	Hazard Communication	.1048(m)
Driving	.215(c)(7)	Housekeeping	.1048(j)
Finish	.215(c)(3)	Hygiene Protection	.1048(i)
General Requirements	.215(c)(1)	Medical Surveillance	.1048(l)
Maintenance	.215(c)(9)	Monitoring	.1048(d)
Recess	.215(c)(5)	Personal Protective Clothing	.1048(h)
Repairs	.215(c)(9)	Recordkeeping	.1048(o)
Types	.215(c)(1)(iv)	Regulated Areas	.1048(e)
Undercut	.215(c)(5)	Respiratory protection	.1048(g)
Flash Welding Equipment	.255(d)	Training, Employee	.1048(n)
Fire Curtains	.255(d)(2)	Fuel-Gas Systems: (see also Oxygen- Fuel Gas Systems).	.253
VentilationFloat Scaffolds	.255(d)(1)	Fuel Gas Systems). Fuels: (see also Refueling)	
	.28(u)	i uois. (see aiso neluellily)	1

Subject term	Section No.	Subject term	Section No.
Fusion Apparatus: (see Drying, Curing		Welding	.254(c)(2), (d)(3);
and Fusion Apparatus)		g	.255(b)(9), (c)(6)
Gantry Cranes: (see also Overhead	.179	Woodworking Tools	.243(a)(5)
and Gantry Cranes).		Guarding: (see also Term to Which It	.211222
Garages, Undercoating Operations	.107(k)	Applies).	
Garnett Machines	.262(f)	Abrasive Wheels, Portable	.243(c)
Gas Cylinder Inspection	.101(a)	Floor Openings (Holes)	.23(a)
Gaging DevicesGas Mask Canisters	.110(b)(19) .134(g)	Hatchways Ladderways	.23(a)(3) .23(a)(2)
Color Codes	.134(g)(6)	Live Parts	.303(g)(2), (h)(2)
Labeling	.134(g)	Machinery	.211–.222
Gaseous agent extinguishing systems; fixed.	.162	Mechanical Power Transmission Apparatus.	.219(m)
Scope and Application	.162(a)	Clutches	.219(k)
Specific Requirements	.162(b)	Friction Drives	.219(g)
Gaseous Hydrogen Systems: (see Hy-		Prime Movers	.219(b)
drogen)		Pulleys	.219(d)
Gasoline Powered Trucks	.178(b)(8), (9)	Open-Sided Floors	.23(c)
Gears	.219(f)	Platforms	.23(c)
Gill Boxes	.262(k)	Powered Tools, Portable	.243
Gin Pole Derricks: (see also Derricks) Gloves, Rubber Insulating	.181(a)(6) .137	Railings Runways	.23(e) .23(c)
Glue Spreaders	.137 .213(r)	Skylight	.23(c) .23(a)(4)
Goggles: (see also Eye Protection;	.133	Spraying Equipment	.107(h)(10)
Eye and Face Protection).		Stairways	.23(a)(1), (d)
Grain Handling	.272	Wall Openings (Holes)	.23(b)
Application	.272(b)	Guardrails:	, ,
Continuous flow bulk raw grain	.272(o)	Definitions	.21(f)(10)
dryers.		Manlifts	.68(b)(8)(i), (10)(iv)
Contractors	.272(h)	Power Transmission Apparatus	.219(o)(5)
Emergency action plan	.272(d)	Powered and Working Platforms	.66(e)(3), (f)(3)(i)(K)
Emergency escape	.272(n)		(f)(5)(i)(G),
Entry into bins, silos, tanks Filter collectors	.272(g)	Removable	(f)(5)(ii)(K)
Grain stream processing equip-	.272(k) .272(m)	Working Surfaces	.23(a)(3) .22(c)
ment.	.272(111)	Guardrails, Scaffolds: (see Listing	.22(0)
Grate openings	.272(j)	Under Specific Type Scaffold)	
Hot work permit	.272(f)	Guards: (see also Guardrails)	
Housekeeping	.272(i)	Derricks	.181(j)(1)
Inside bucket elevators	.272(p)	Hoisting Ropes	.179(e)(5)
Preventive maintenance	.272(I)	Manlifts	.68(b)(7)–(9)
Training	.272(e)	Moving Parts	.179(e)(6)
Gravity Hammers	.218(e)	Trucks	.178(e)
Grinders: (see also Abrasive Wheel)	0.40(-)(0) (4)	Guide Posts	.217(d)(4)
Machinery; Cutoff Wheels	.243(c)(3), (4) .218(j)(5)	Gudgeon Pin	.181(a)(20)
Grinding, Forging Equipment	.210(J)(3)	Guy Derricks Hammers, Forging: (see Forging Ham-	.181(a)(7)
Cylindrical	.215(b)(4)	mers)	
Flanges	.215(a)(3)	Hand protection	.138
Surface Grinders	.215(b)(5)	Hand Spraying Equipment: (see Elec-	
Swing Frame Grinders	.215(b)(6)	trostatic Hand Spraying Equipment)	
Top Grinding	.215(b)(8)	Hand Tools	.242
Work Rest	.215(a)(4)	Dead-Man Controls	.243(a)(2)
Grinding, Polishing, and Buffing:		Pulp and Paper Mills	.261(c)(13)
Branch Pipes	.94(b)(3)	Handholds, Manlifts	.68(c)(4)
Enclosure Design	.94(b)(5)	Handling: (see also Materials Handling	
Exhaust Systems Hoods	.94(b)(4) .94(b)(3), (5)	and Storage)	.111
Grinding, Top	.215(b)(8)	Anhydrous Ammonia Compressed Gases	.101(b)
Grounding:	.213(0)(0)	Liquefied Hydrogen Systems	.103(c)(2)(iii)
Bulk Oxygen Systems	.104(b)(7)(iv)	Liquefied Petroleum Gases	.110
Circuits	.314	Liquids	.106(h)(4)
Electrostatic Spraying	.107(h)(5), (i)(5)–(7)	Service Stations	.106(g)(1)
Flammable and Combustible Liq-	.106(e)(6)(ii),	Handrails	.24(h)
uids.	(f)(3)(iv)	Cranes	.179(d)(3), (4)(ii)
General	.304(f)	Mobile Ladder Stands	.29(f)(4)
Hand Spraying	.107(i)(5)–(7)	Hangers	.219(p)(4)
Ignition Sources	.107(c)(9)	Hardening Tanks	.126(a)(1)(i),(ii)
Liquefied Hydrogen Systems	.103(c)(4)(iv)	Hatchways Guarding	.23(a)(3)
Liquid Transfer Methods	.107(e)(9) .314(e)	Hazard Communication, chemical information, transmittal.	.1200
Spray Booths	.314(e) .107(h)(10)	Hazard Communication Program	.1200(e)
Spraying Operations	.107(f)(10) .107(c)(9), (e)(9),	Hazard Determination	.1200(e)

Subject term	Section No.	Subject term	Section No.
Labels and Warnings	.1200(f)	Heating:	
Material Safety Data Sheets	.1200(g)	Dip Tanks	.125(g)
Trade Secrets	.1200(i)	Bulk Plants	.106(f)(2)(ii)
Hazardous chemicals, occupational ex-	.1450	Service Stations	.106(g)(6)
posure to in laboratories (see		Helicopters	.183
Chemicals, hazardous).		Helmets	.135, .252(e)(2),
Hazardous chemicals, highly, process	.119		.266(c)(iii)
safety management (see Chemicals,		Hepatitis B (see also Bloodborne	.1030
etc.).		pathogens).	
Hazardous energy; control of (see		Hinged Floor Covers	.23(a)(3)(i)
Lockout/tagout)		Hoist Limit Switches	.179(n)(4)
Hazardous Materials:		Hoisting Equipment:	
Acetylene	.102	Cranes	.179(e)(5), (h)
Anhydrous Ammonia	.111	Powered Platforms	.66(f)(4), (g)(6)
Blasting Agents	.109	Rope Guards	.179(e)(5)
Bulk Oxygen Systems	.104	Holding Brakes	.179(f)(2)
Chemicals (see entries under	.119	Holes: (see also Floor Openings	.23
Chemicals, etc.).	.113	(Holes); Wall Openings (Holes)).	.20
Combustible Liquids	.106	Hooks:	
	.101	Cranes	170/b)//)
Compressed Gases			.179(h)(4)
Dip Tanks	.108	Derricks	.181(j)(2)
	.114	Horse Scaffolds	.28(m)
	.109	Hoses.	107(0)(6)
	.106	Flammable Liquids	.107(e)(6)
	.120	Liquefied Petroleum Gases	.110(b)(9)
	.103	Semiconductors	.109(a)(12)
Liquefied Petroleum Gases	.110	Sprinkler Systems	.159(c)(5)
Nitrous Oxide	.105	Standpipe and hose systems	.158(c)(3)
Oxygen	.104	Welding and Cutting	.253(e)
Packages, transport vehicles, etc.,	.1201	Hot Sources	.107(c)(3)
retention of DOT markings.		Hot-work permits, process safety man-	.119(k)
Spray Finishing	.107	agement of highly hazardous chemi-	
Standards Sources	.115	cals.	
Storage and Handling:		Hours of Transfer, Explosives	.109(f)(5)
Anhydrous Ammonia	.111	Household Stepladders, Type III	.25(c)(2)(iv)
DOT markings, retention	.1201	Housekeeping	.141(a)(3)
Liquefied Petroleum Gases	.110	Asbestos	.1001(d)
Trucks Used	.178(c)(2)	Flammable Liquids	.106(e)(9)
lazardous Waste Operations:		Walking-Working Surfaces	.22(a)
Contractors and Subcontractors	.120(b)(1)(iv)	Hydraulic Barkers	.261(e)(14)
Decontamination	.120(k), (p)(4)	Hydraulic Equipment	.217(b)(11)
Drums and Containers	.120(j)	Hydraulically designed sprinkler sys-	.159(c)(11)
Emergency Response	.120(e)(7), (l), (p)(8),	tems.	, , ,
0 , .	(q)	Hydrogen	.103
Engineering Controls and Per-	.120(g)	Effective Dates	.114
sonal Protective Equipment.	(3)	Gaseous Hydrogen Systems	.103(a)(2)(i), (b)
Illumination	.120(m)	Clear Zone	.103(b)(5)(ii)
Information Program	.120(b)(i)	Containers	.103(b)(1)(i)
Laboratory Waste Packs	.120(j)(6)	Design	.103(b)(1)
Material Handling	.120(j)(0)	Equipment Assembly	.103(b)(1)(iv)
Medical Surveillance	.120(j) .120(f), (p)(3), (q)(9)	Fittings	.103(b)(1)(iii)
Monitoring	.120(r), (p)(0), (q)(0)	Inspection	.103(b)(5)
Post-emergency Response			
Radioactive Wastes	.120(I)(5) .120(j)(4)	Location	.103(b)(2) .103(b)(3)(i)
Recordkeeping		Outdoor	
	.120(f)(7)	Separate Buildings	.103(b)(3)(ii)
RCRA Facilities	.120(p)	Operating Instructions	.103(b)(4)
	.120(b)	Piping	.103(b)(1)(iii)
Sanitation	.120(n)	Safety Relief Devices	.103(b)(1)(ii)
Site Characterization and Analysis	.120(c)	Testing	.103(b)(1)(vi)
Site Control	.120(d)	Tubing	.103(b)(1)(iii)
Training	.120(e), (p)(8)(iii),	Liquefied Hydrogen Systems	.103(a)(2)(ii), .103
	(q)(6)	Clear Zone	.103(c)(5)(ii)
Shock-sensitive Wastes	.120(j)(5)	Containers	.103(c)(1)(i)
Site Safety and Health Plan	.120(b)(4)	Design	.103(c)(1)
Tank and Vault Procedures	.120(j)(9)	Electrical Systems	.103(c)(1)(ix)
Totally-encapsulating Chemical	.120(g)(4)	Equipment Assembly	.103(c)(1)(vi)
Protective Suits.		Fittings	.103(c)(1)(v)
Uncontrolled sites, emergency re-	.120(I)	Grounding	.103(c)(4)(iv)
	**	Inspection	.103(c)(5)(i)
sponses.			.103(c)(2)
	.135	Location	1.100(0)(2)
lead Protection	.135 .1030	Location Outdoor	
Head ProtectionHealthcare professions and related in-			.103(c)(3)(i)
sponses.  Head ProtectionHealthcare professions and related industries, exposures to bloodborne pathogens.		Outdoor	

Cubicat town	Costion No.	Cubicat town	Section No.
Subject term	Section No.	Subject term	Section No.
Markings	.103(c)(1)(iii)	Open Surface Tanks	.94(d)(11)
Operating Instructions	.103(c)(4)	Power Presses	.217(e)
AttendantsSecurity	.103(c)(4)(ii)	Powered Platforms Respirators	.66(g) .134(f)
Piping	.103(c)(4)(iii) .103(c)(1)(v)	Ropes, Cranes	.179(m)
Safety Relief Devices	.103(c)(1)(iv)	Woodworking Machines	.213(s)
Supports	.103(c)(1)(ii)	Instruction Signs, Manlifts	.68(c)(7)
Testing	.103(c)(1)(vii)	Insulators	.107(h)(5)
Tubing	.103(c)(1)(v)	Interior Hung Scaffolds	.28(p)
Vaporizers	.103(c)(1)(viii)	Ionizing Radiation	.1096
Standards Sources	.115	AEC Licensees	.1096(p)
Hydrostatic Tests: (see also Testing)		Airborne Radioactive Materials	.1096(c)
Fire Extinguishers	.157(f)	Caution Signs and Labels	.1096(e)
Piping	.106(c)(7)	Employees:	4000()
Ignition Sources: Bulk Plants	100(6)(0)	Disclosure	.1096(o)
	.106(f)(6)	Exposure Records	.1096(m), (n)
Dip TanksIndustrial Plants	.125(e) .106(e)(6)	Incident ReportingInstruction Posting	.1096(l) .1096(i)
Powder Coatings	.107(l)(1)	Evacuation	.1096(f)
Processing Plants	.106(h)(7)	Exemptions	.1096(g), (h)
Service Stations	.106(g)(8)	Exposure	.1096(b)
Spraying Operations	.107(c)	Airborne Radioactive Mate-	.1096(c)
Combustible Residues	.107(c)(5)	rials.	
Conformance	.107(c)(1)	Minors	.1096(b)(3), (c)(2),
Electrical Wiring	.107(c)(4), (6)		(d)(2)(ii)
Grounding	.107(c)(9)	Exposure Records	.1096(m)-(o)
Hot Sources	.107(c)(3)	Incident Reporting	.1096(I)
Lamps	.107(c)(7), (8)	Monitoring	.1096(d)
Separation Minimum	.107(c)(2)	Overexposure Reports	.1096(m)
Storage Tanks	.106(b)(6)	Personnel Instructions, Posting	.1096(i)
Illumination: (see Lighting)		Radioactive Materials:.	
Indoor Storage:	400	Packaged	.1096(h)
Effective Dates	.182	Storage	.1096(j)
Flammable and Combustible Liq- uids.	.106(b)(4), (d)(4), (d)(5), (e)(5),	Warning Signals  Waste Disposal	.1096(f) .1096(k)
Rooms	(g)(1)(iii), (h)(4)(i) .106(d)(4)	Definitions	.241(d)
Standards Sources	.183	Fixed Truck	.178(k)(3)
Industrial Plants:		Loading	.244(a)(1)
Flammable and Combustible Liq-	.106(e)	Marking	.244(a)(1)
uids.	, ,	Maintenance	.244(a)(2)
Electrical Systems	.106(e)(7)	Truck	.178(k)(3)
Fire Protection	.106(e)(5)	Jointers	.213(j)
Housekeeping	.106(e)(9)	Blades	.213(s)(12)
Incidental Storage	.106(e)(2)	Keys, Projecting	.219(h)
Ignition Sources	.106(e)(6)	Kiers	.262(q)
Maintenance	.106(e)(9)	Kilns	.265(f)
Repairs, Equipment	.106(e)(8)	Kitchens, Labor Camps	.142(i)
Tank Loading	.106(e)(4)	Labeling, Hazardous Chemicals	.1200
Unit Physical Operations	.106(e)(3)	Labor Camps, Temporary  Bathing Facilities	.142
Liquefied PetroleumIndustrial Stepladders, Type I	.110(d)(12), (f)(4) .25(c)(2)(ii)	Bedding	.142(f) .142(b)(3)
Insect Control	.141(a)(5)	Communicable Diseases	.142(b)(3)
Labor Camps	.142(j)	Reportings.	(1)
Inspection: (see also Term to Which It	0/	Dining Facilities	.142(j)
Applies)		Effective Dates	.149
Compressed Gas Cylinders	.101(a), .166	Facilities	.142(b)
Cranes	.179(j), .180(d)	First Aid	.142(k)
Crawler	.180(d)	Furnishings	.142(b)
Gantry	.179(j)	Floors	.142(b)(4), (5)
Ropes	.179(m)	Grounds	.142(a)(3)
Locomotive	.180(d)	Heating Equipment	.142(b)(11)
Overhead	.179(j)	Insect Control	.142(j)
Ropes	.179(m)	Kitchens	.142(i)
Truck	.180(d)	Laundry Facilities	.142(f)
Cylinders	.101(a)	Lighting	.142(g)
Derricks	.181(d)	Refuse Disposal	.142(h)
Fire Extinguishers	.157(e)	Rodent Control	.142(j)
Flooding, Tank Areas	.106(b)(5)(vi), (v)	Screening	.142(b)(8)
Gas Cylinders	.101(a)	Sewage Disposal	.142(e)
Gaseous Hydrogen	.103(b)(5)	Shelters	.142(b)
Liquefied Hydrogen Liquid Oxygen	.103(c)(5)(i)	Site	.142(a) .142(a)(2)
	.104(b)(10)(i)		
Manlifts	.68(e)	Sleeping	1.142(b)(2), (3)

Subject term	Section No.	Subject term	Section No.
Space	.142(b)(2), (9)	Landings, Manlifts	.68(b) (6), (10)
Standards Sources	.150	Lathers' Scaffolds: (see also Plas-	.28(o)
Stoves	.142(b)(10)	terers' Scaffolds).	
Toilet Facilities	.142(d)	Lathes	.213(o)
Washing	.142(f)	Laundry Facilities, Labor Camps	.142(f)
Waste Disposal	.142(h)	Laundry Operations	.264
Water Supply	.142(c)	Miscellaneous Equipment	.264(c)(4)
Windows	.142(b)(7), (8)	Operating Rules	.264(d)
aboratories, occuptional exposures to	.1450	Markers	.264(d)(1)(iii)
hazardous chemicals in (see Chemi-		Mechanical Safeguards	.264(d)(2)
cals, hazardous).	1000/a)	Point-of-Operation Guards	.264(c)
aboratories and production facilities,	.1030(e)	Washroom Machines	.264(c)(1)
HIV and HBV research. adder-Jack Scaffolds	00/~\	Lavatories	.141(d)(2)
adder Stands, Manual Mobile; (see	.28(q) .29(f)	Lawn Mowers, Power	.243(e)
Work Platforms, Mobile).	.29(1)	Definitions	.241(c)
adders:		Forging Machines	.218(a)(1)
Cranes	.179(d)(4), (o)(1)	General Requirements Riding Rotary	.243(e)(1)
Fixed	.27	Walk-Behind	.243(e)(2), (4)
Manlifts	.68(b)(12)	Lead	.243(e)(2), (3)
Portable Metal	.26		.1025, .252(f)(7)
Portable Wood	.25	Compliance	.1025(e)
Sawmills	.265(c)(10)	Confined Spaces Housekeeping	.252(f)(7)(i), (iii) .1025(h)
adders, Fixed	.27	Hygiene Facilities and Practices	.1025(i)
Cages	.27(c)(3), (d)(1)	Indoors	.1025(I) .252(c)(7)(ii), (iii)
Clearances	.27(c)	Medical Removal	.1025(k)
Cleats	.27(b)(1)	Medical Surveillance	.1025(k)
Design	.27(a)	Monitoring	.1025(j)
Stresses	.27(a)(2)	Monitoring, Observation of	.1025(d)
Deterioration	.27(b)(7)	Protective Equipment and	.1025(g)
Electrolytic Action	.27(b)(5)	Clothing	.1025(g)
Extensions	.27(d)(3)	Recordkeeping	.1025(g)
Fastenings	.27(b)(3)	Respiratory Protection	.1025(f)
Grab Bars	.27(c)(5), (d)(4)	Signs	.1025(n)
Ladder Extensions	.27(d)(3)	Training, Employee	.1025(II)
Landing Platforms	.27(d)(2)	Ventilation	.252(c)(7)(iii)
Maintenance	.27(f)	Leakage, Bulk Oxygen Systems	.104(b)(2)(iii)
Pitch	.27(e)	Levers, Hand-Operated	.217(b)(5)
Rungs	.27(b)(1)	Lifelines: (see also Safety Belts)	.217(0)(3)
Safety Devices	.27(d)(5)	Confined Spaces	.252(b)(4)(iv)
Side Rails	.27(b)(2)	Crawling Boards	.28(t)(2)
Splices	.27(b)(4)	Powered Platforms	.66(d)(9), App. C
Standards Sources	.31	Welding	.252(b)(4)(iv)
Welding	.27(b)(6)	Chicken Ladders	.28(t)(2)
Wells	.27(d)(1)	Lighting: (see also Lamps)	.20(1)(2)
adders, Portable Metal	.26	Container Areas	.110(d)(16)
Care	.26(c)(2)	Cranes	.179(c)(4), (g)(7)
Electrical safety-related work prac-	.333(c)(7)	Electric Equipment, Workspace	.303(g)(1)(v),
tices.		About.	(h)(3)(ii)
Extension Ladders	.26(a)(2), (4)	Electrical safety-related work prac-	.333(c)(4)
General Requirements	.26(a)(1)	tices.	.555(5)(4)
Platform Ladders	.26(a)(5)	Hazardous Waste Operations	.120(m)
Standards Sources	.31	Labor Camps	.120(III) .142(g)
Stepladders	.26(a)(3)	Machinery, Basement Areas	.142(g) .219(c)(5)
Straight Ladders	.26(a)(2), (4)	Manlifts	.68(b)(6)(iii), (14)
Use	.26(c)(3)	Operating Areas, Industrial Trucks	.178(h)
adders, Portable Wood	.25	Pulp and Paper Mills	.261(b)(2), (c)(10
Care	.25(d)(1)	Taip and Laper Mills	(k)(21)
Rung Ladders	.25(c)(3)	Pulpwood Harvesting	.266(e)(15)
Sectional Single	.25(c)(3)(iv)	Sawmills	.265(c)(5)(iii), (9)
	.25(c)(3)(ii)	Cawrillio	(23)(iii)
Trestle	.25(c)(3)(v)	Spray Booths	.107(b)(10)
Two-Section	.25(c)(3)(iii)	Storage Areas	.107(b)(10)
Side-Rolling Ladders	.25(c)(5)	Lighting Receptacles:	, (1)(1), .170(11
Special Purpose Ladders	.25(c)(4)	Cranes	.179(g)(7)
Masons'	.25(c)(4)(iii)	Liquefied Hydrogen Systems: (see Hy-	.179(9)(7)
Painters'	.25(c)(4)(ii)	drogen)	
Standards Sources	.31		110 160/b\/0\/-
Stepladders	.25(c)(2)	Liquefied, Petroleum Gases: (see also Containers. Liquefied Petroleum	.110, .168(b)(3)(x
Trolloy Lodders	.25(c)(5)	Containers, Liquefied Petroleum Gases).	
Trolley Ladders		Gasesi.	I .
Materials	.25(b)		110/b\/00\
Materials Use	.25(d)(2)	Appliances	` ' ' '
Materials			.110(b)(20) .110(b)(14)

Subject term	Section No.	Subject term	Section No
Industrial Trucks	.110(e)(13)	Liquefied Petroleum Gases	.110(b)(15)
Inside Storage	.110(f)	Processing Plants	.106(h)(5)
Piping Into	.110(b)(13)	Scaffolds	.29(a)(2)
Condensed Gas Drips	.110(d)(9)	Lockout/tagout of hazardous energy	.147
Definitions	.110(a)	Control sequence	.147(d)
Effective Dates	.110(b)(19)(i), .114	Electrical safety-related work prac-	.333(b)
Electrical Equipment	.110(b)(17), (18);	tices.	
	(h)(13)	Inspection	.147(c)(6)
Engines in Buildings	.110(e)(11), (12)	Powered platforms	.66(f)(3)()i)(J)
Equipment Approval	.110(b)(2)	Release procedures	.147(e)
Fire Protection	.110(d)(14), (f)(7),	Testing	.147(f)(1)
	(h)(14)	Training	.147(c)(7)
Fuel Handling and Storage	.178(f)	Locomotive Cranes: (see also Crawler,	.180
Gaging Devices	.110(b)(19)	Locomotive and Truck Cranes).	
Garaging Vehicles	.110(e)(14)	Log Handling: (see also Sawmills)	.265(d)
Handling	.110	Longshoring	.16(a)
Liquid Level Gaging Device	.110(b)(19)	Looms	.262(n)
Liquid Transfer	.110(b)(14)	Low Pressure Tanks	.106(b)(1)(iv)
Loading	.110(b)(15)	LP-Gases: (see Liquefied Petroleum	
Motor Fuel	.110(e)	Gases)	
Odorizing Gases	.110(b)(1)	Lumber Handling	.265(c)(27), (28
Pits and Drains	.110(d)(11)	Lunchrooms	.141(g)
Regulating Equipment	.110(b)(6); (c)(5);	Location	.141(g)(1), (2)
	(d)(9); (e)(9)	Waste Disposal Containers	.141(g)(3)
Indoor	.110(c)(5)	Machine Guarding: (see Machine(ry)	
Location	.110(b)(6)	Guarding)	044 000
Outdoor	.110(c)(4)	Machine(ry) Guarding	.211222
Service Stations	.110(h)	Abrasive Wheel Machinery	.215
Standards Sources	.115	Anchoring Fixed Machinery	.212(a), (b)
Storage	.110	Bakeries	.263(c)
Tank Car Loading	.110(b)(15)	Barrels	.212(a)(4)
Transport Trucks	.110(b)(15)	Blades Exposure	.212(a)(5)
Trucks	.178(b)(10), (11)	Calendars	.216
Trucks Conversion	.178(d), (q)(12)	Containers	.212(a)(4)
quid Fuels:		Definitions	.211
Handling and Storage	.178(f)	Drums	.212(a)(4)
Service Stations	.106(g)	Effective Dates	.220
quid Heaters, Spray	.107(e)(7)	Forging Machines	.218
quid Transfer:		Mills	.216
Anhydrous Ammonia	.111(b)(12), (f)(6)	Point of Operation	.212(a)(3)
Flammable Liquids	.106(e)(2)(iv),	Power Presses	.217
	(e)(3)(vi),	Power Transmission Equipment	.219
	(f)(3)(vi), (g),	Standards Sources	.221
	(h)(4), .107(e)(4),	Types	.212(a)(1)
	(9)	Woodworking Machinery	.213
Liquefied Petroleum Gases	.110(b)(14)	Machines:	
oad Handling:		Abrasive Wheels	.215
Crawler, Locomotive and Truck	.180(h)	Definitions	.211
Cranes.		Forging	.218
Attaching	.180(h)(2)	Laundry	.264
Holding	.180(h)(4)	Mills and Calenders	.216
Moving	.180(h)(3)	Power Transmission, Mechanical	.219
Size	.180(h)(1)	Presses, Mechanical	.217
Derricks	.181	Textiles	.262
Attaching	.181(i)(2)	Woodworking	.213
Boom Securing	.181(i)(6)	Magazines, Explosives	.109(c)(2)
Holding	.181(i)(4)	Class I	.109(c)(3)
Moving	.181(i)(3)	Class II	.109(c)(4)
Size	.181(i)(1)	Class III	.109(c)(5)
Winch Heads	.181(i)(5)	Maintenance: (see also Term to Which	
Overhead and Gantry Cranes	.179(n)	It Applies)	
Attaching	.179(n)(2)	Bulk Oxygen Systems	.104(b)(10)
Hoist Limit Switches	.179(n)(4)	Cranes	.179(I), .180(f)
Moving	.179(n)(3)	Derricks	.181(f)
Size	.179(n)(1)	Fire Alarm Systems	.163(c)
oad Ratings:		Fire Extinguishers:	.157(e)
Cranes	.180(c)	Gaseous Hydrogen Systems	.103(b)(5)
Derricks	.181(c)	Industrial Plants	.106(e)(9)
Overhead and Gantry Cranes	.179(b)(5)	Liquefied Hydrogen Systems	.103(c)(5)
Powered Platforms	.66(c)(7)	Powder Coatings	.107(l)(4)
pading:	1-11-1	Powered Industrial Trucks	.178(q)
Bulk Plants	.106(f)(3)	Powered Platforms	.66(e)(6)
	( ) ( - )		
Explosives	.109(e)(3)	Processing Plants	.106(h)(8)

			,	
Subject term	Section No.	Subject term	Section No.	
Standpipe and Hose System	.158(e)	Guarding Openings	.176(g)	
Sprinkler Systems	.159(c)(2)	Hazardous materials, retention of	.1201	
Type F Powered Platforms	.66(c)(5)	DOT markings.	400(1) (-)(0)	
Manifolding Gas Cylinders	.253(c)	Hazardous Waste Operations Housekeeping	.120(j), (p)(6)	
Fuel-Gas Operating Procedures	.253(c)(1) .253(c)(5)	Mechanical Equipment	.176(c) .176(a)	
Oxygen	.253(c)(2), (3)	Powered Industrial Trucks	.176(a)	
Portable Outlet Headers	.253(c)(4)	Pulp and Paper Mills	.261(c), (d), (m)	
Vanholes	.23(a)(6), .268(o)	Railroad Car Blocks	.176(f)	
Manlifts	.68	Securing	.176(b)	
Belts	.68(c)(1)(ii)	Standards Sources	.183	
Brakes	.68(c)(1)(i)	Maximum Allowable Concentration:		
Clearances	.68(b)(11)	Fluorine	.252(c)(5)(ii)	
Design	.68(b)(3)	Welding Contamination	.252(c)(1)(iii)	
Exit Protection	.68(b)(8)	Mechanical Handling Equipment:		
Floor Openings	.68(b)(5), (7)	Clearances	.176(a)	
Guardrails	.68(b)(8)(i), (10)(iv)	Powered Industrial Trucks	.177(e), .178	
Guards	.68(b)(7), (9)	Mechanical Power Presses:		
Handholds	.68(c)(4)	Air Controlling Equipment	.217(b)(10)	
Inspections	.68(e)	Brakes, Friction	.217(b)(2)	
Instruction Signs	.68(c)(7)	Clearances, Work Area	.217(f)(3)	
Ladders	.68(b)(12)	Clutches: Full Revolution	017(b)(0)	
Landings	.68(b)(6)	Part Revolution	.217(b)(3)	
Lighting Machinery	.68(b)(6)(iii), (14) .68(c)	Definitions	.217(b)(7) .211(d)	
Mechanical Requirements	.68(c)	Dies	.217(d)	
Operating Rules	.68(d)	Effective Dates	.217(u) .220	
Platforms	.68(c)(3)	Electrical Controls	.217(b)(8)	
Speed	.68(c)(2)	Excluded Machines	.217(a)(5)	
Standards Sources	.68(b)(4), .69	Foot Pedals	.217(b)(4)	
Steps	.68(c)(3)	Guarding	.217(b)	
Stops	.68(c)(5), (6)	Guide Posts	.217(d)(4)	
Warning Signs	.68(c)(7)	Hand Feeding Tools	.217(c)(4)	
Weather Protection	.68(b)(15)	Hazards:	(-/( /	
Marine Service Stations	.106(g)(4)	Guide Posts	.217(d)(4)	
Marine Terminals	.16(b)	Personnel	.217(b)(1)	
Marking Physical Hazards	.144	Hydraulic Equipment	.217(b)(11)	
Sawmills	.265(c)(11)	Inspection, Records	.217(e)(1)	
Markings: (see also Signs and Tags)		Instructions	.217(f)(2)	
Bulk Oxygen Systems	.104(b)(8)(viii)	Lever, Hand-Operated	.217(b)(5)	
Compressed Gas Cylinders	.253(b)(1)	Maintenance:		
Electric equipment:		Records	.217(e)(1)	
General	.303(e)	Training Personnel	.217(e)(3)	
Hazardous locations	.307(b)(2)(ii)	Modifications	.217(a)(4), (e)(2	
Explosive Actuated Tools	.243(d)(3)	Operating Instructions	.217(f)(2)	
Explosives	.109(d)(2)(ii)	Overloading	.217(f)(4)	
Eye and Face Protection	.133(a)(4)	Point of Operation	.217(c)	
Gaseous Hydrogen Systems	.103(b)(1)(v)	Pressure Vessels	.217(b)(12)	
Hazardous materials, retention of	.1201	Slide Counterbalances	.217(b)(9)	
DOT markings.	400(-)(4)(!!!)	Air	.217(b)(9)(iii)–(v	
Liquefied Hydrogen Systems	.103(c)(1)(iii)	Spring	.217(b)(9)(i), (ii)	
Liquefied Petroleum Gases	.110(b)(5), (c)	Standards Sources Training Maintenance Personnel	.221	
Load Ratings:	100/=\/0\	. 3	.217(e)(3)	
Cranes  Derricks	.180(c)(2)	Treadles Trips, Two-Hand	.217(b)(4)	
Powered Industrial Trucks	.181(c)	Unitized Tooling	.217(b)(6)	
Powered Platforms	.178(a)(3) .66(f)(7)	Mechanical Power Transmission Appa-	.217(d)(5) .219	
Physical Hazards	.144	ratus.	.219	
Respirators	.134(g)	Bearings	.219(j), (p)(3)	
Sawmills	.265(c)(11)	Belts:	(), (P)(0)	
Mason's Adjustable Multiple Point Sus-	.28(f)	Care	.219(p)(6)	
pension Scaffolds.		Fasteners	.219(I)(4)	
Masons' Ladders	.25(c)(4)(iii)	Perches	.219(I)(3)	
Matching Machines	.213(n)	Shifters	.219(I)(1)	
Material Safety Data Sheets, chemical	.1200	Shippers	.219(I)(2)	
hazards information.		Chains	.219(f)	
Materials Handling and Storage:		Clutches	.219(k), (l)	
Aisles and Passageways	.176(a)	Collars	.219(i)	
Clearance Signs	.176(e)	Couplings	.219(i), (k)(1)	
Cranes-Crawler, Locomotive and	.180	Cutoff Couplings	.219(k)(1)	
Truck.		Definitions	.211(f)	
Cranes, Overhead and Gantry	.179	Drives:		
Derricks	.181	Belt, Rope, and Chain	.219(e)	
Demoks				

,				
Subject term	Section No.	Subject term	Section No.	
Effective Dates	.220	Regulated area requirements	.1003(d)	
Engine Rooms	.219(k)(2)	Contamination control	.1003(d)(4)	
Equipment Care	.219(p)	Emergencies	.1003(d)(2)	
Excluded Apparatus	.219(a)(1)	Hygiene facilities and practices.	.1003(d)(3)	
GearsGuarding	.219(f) .219	Reports	.1003(f)	
Guards:	.2.0	Incidents	.1003(f)(2)	
Disks	.219(m)(1)	Operations	.1003(f)(1)	
Horizontal Overhead:		Signs, information, and training	.1003(e)	
Belts	.219(o)(3)	Container contents identifica-	.1003(e)(2)	
Rope and Chain Drives  Materials	.219(0)(4)	tion. Lettering	.1003(e)(3)	
Prime Mover	.219(m)(1), (o) .219(b)	Prohibited statements	.1003(e)(4)	
Shields	.219(m)(2)	Signs	.1003(e)(1)	
Standard	.219(m)	Training and indoctrination	.1003(e)(5)	
Manufacturing Methods	.219(m)(2)	Methylene Chloride:.		
Materials	.219(m)(1)	Permissible Exposure Limits  Exposure Monitoring	.1052(c) .1052(d)	
Toeboards U-Guards	.219(0)(5)	Regulated Areas	.1052(u) .1052(e)	
Wooden	.219(m)(3) .219(o)(2)	Methods of Compliance	.1052(f)	
Hangers	.219(p)(4)	Respiratory Protection	.1052(g)	
Keys	.219(h)	Protective Work Clothing and	.1052(h)	
Located in Basements, Towers,	.219(c)(5)	Equipment.	1050(:)	
and Rooms.	040( )(=)	Hygiene Facilities  Medical Surveillance	.1052(i) .1052(j)	
Personnel Protection Prime Mover Guards:	.219(p)(7)	Hazard Communications	.1052(j)	
Connecting Rods	.219(b)(2)	Employee Information and Train-	.1052(I)	
Cranks	.219(b)(2)	ing.		
Extension Piston Rods	.219(b)(3)	Recordkeeping	.1052(m)	
Flywheels	.219(b)(1)	4,4-Methylenedianiline:	1050(a)	
Tail Rods	.219(b)(3)	Airborne Concentration Compliance	.1050(c) .1050(g)	
Projections	.219(h)	Emergency Situations	.1050(g)	
Pulleys Setscrews	.219(d), (k), (p)(5) .219(h)	Hazard Communication	.1050(k)	
Shafting	.219(n)	Exposure, Permissible	.1050(c)	
Care	.219(p)(2)	Housekeeping	.1050(l)	
Guarding	.219(c)(2), (3)	Hygiene Facilities and Practices	.1050(j)	
Installation	.219(c)(1)	Medical Surveillance Monitoring	.1050(m) .1050(e)	
Projecting Shafts	.219(c)(4)	Personal Protective Equipment	.1050(i)	
Sprockets	.219(f)	Clothing	.1050(i)	
Standards Sources Textile Industry	.221	Recordkeeping	.1050(n)	
Medical Services: (see also First Aid	.219(a)(3) .151	Regulated Areas	.1050(f)	
Personnel Protective Equipment).		Respiratory protection	.1050(h)	
Asbestos	.1001(j)	Mill Roll Heights Mills, Pulp, Paper and Paperboard	.216(a)(4) .261	
First Aid	.151	(see also Pulp, Paper and Paper-	.201	
Labor Camps	.142(k)	board Mills).		
Pulpwood Logging Textiles	.266(c)(1)	Mills, Rubber and Plastics Industry:		
Welding	.262(pp) .252(c)(13)	Definitions	.211(c)	
Labor Camps	.142(k)	Location Protection Roll Heights	.216(d)(1) .216(a)(4)	
Radiation Exposure Records	.96(n)	Safety Controls	.216(b)	
Standards Sources	.153	Auxiliary Equipment	.216(b)(3)	
Medical Surveillance	.120(b)(5), (f)	Safety Trip Control	.216(b)(1)	
Mercantile Occupancies	.106(d)(5)(iv)	Stopping Limits	.216(f)(1), (2)	
Mercury Exposure Limit	.252(f)(10) .95(b)	Switches, Trip and Emergency	.216(e)	
Metal Cutting: (see Cutting and Welding)	.55(0)	Minors: Ionizing Radiation Exposure	.96(b)(3), (c)(2),	
Metal Ladders, Portable: (see also	.26	Minors Employment	(d)(2)(ii)	
Ladders, Portable Metal).	.20	Mixing:	.217(f)(4)	
Methyl chloromethyl ether	.1003	Blasting Agents	.109(g)(2), (3);	
Area requirements	.1003(c)		(h)(3), (4)	
Closed system operation	.1003(c)(2)	Explosives	.109(h)(3), (4)	
Isolated systems Maintenance and decon-	.1003(c)(1)	Molding Machines	.213(n)	
tamination activities.	.1003(c)(5)	Monitoring: Asbestos	.1001(f)	
Open-vessel system oper-	.1003(c)(3)	Ionizing Radiation	.96(d)	
ations.		Mortising Machines	.213(e)	
Transfer from a closed oper-	.1003(c)(4)	Motor Fuels	.110(e)	
ation.		Motor Vehicles:		
Medical surveillance	.1003(g)	Anhydrous Ammonia	.111(f)	
Examinations Records	.1003(g)(1)	Motorized Hand Trucks: (see also Powered Industrial Trucks).	.178	
necords	.1000(9)(2)	i owered industrial Hucks).	T.	

Subject term	Section No.	Subject term	Section No.
Multi-piece Rim Wheels	.177	Maintenance and decon-	.1003(c)(5)
alpha-Napthylamine	.1003	tamination activities.	
Area requirements	.1003(c)	Open-vessel system oper-	.1003(c)(3)
Closed system operation	.1003(c)(2)	ations.	
Contamination control	.1003(d)(4)	Transfer from a closed oper-	.1003(c)(4)
Emergencies	.1003(d)(2)	ation.	
General regulated area re-	.1003(d)	Medical surveillance	.1003(g)
quirements.		Examinations	.1003(g)(1)
Hygiene facilities and prac-	.1003(d)(3)	Records	.1003(g)(2)
tices.	. , . ,	Regulated area requirements	.1003(d)
Isolated systems	.1003(c)(1)	Contamination control	.1003(d)(4)
Maintenance and decon-	.1003(c)(5)	Emergencies	.1003(d)(2)
tamination activities.	(-)(-)	Hygiene facilities and prac-	.1003(d)(3)
Open-vessel system oper-	.1003(c)(3)	tices.	. , , ,
ations.	(-)(-)	Reports	.1003(f)
Transfer from a closed oper-	.1003(c)(4)	Incidents	.1003(f)(2)
ation.	.1000(0)(4)	Operations	.1003(f)(1)
Medical surveillance	1002(a)	Signs, information, and training	.1003(e)
	.1003(g)	Container contents identifica-	.1003(e)(2)
Examinations	.1003(g)(1)	tion.	.1000(0)(2)
Records	.1003(g)(2)	Lettering	.1003(e)(3)
Regulated area requirements	.1003(d)		
Contamination control	.1003(d)(4)	Prohibited statements	.1003(e)(4)
Emergencies	.1003(d)(2)	Signs	.1003(e)(1)
Hygiene facilities and prac-	.1003(d)(3)	Training and indoctrination	.1003(e)(5)
tices.		N-Nitrosodimethylamine	.1003
Reports	.1003(f)	Area requirements	.1003(c)
Incidents	.1003(f)(2)	Closed system operation	.1003(c)(2)
Operations	.1003(f)(1)	Isolated systems	.1003(c)(1)
Signs, information, and training	.1003(e)	Maintenance and decon-	.1003(c)(5)
Container contents identifica-	.1003(e)(2)	tamination activities.	
tion.	(-)(-)	Open-vessel system oper-	.1003(c)(3)
Lettering	.1003(e)(3)	ations.	
Prohibited statements	.1003(e)(4)	Transfer from a closed oper-	.1003(c)(4)
Signs	.1003(e)(1)	ation.	
Training and indoctrination	.1003(e)(5)	Medical surveillance	.1003(g)
peta-Napthylamine	.1003(e)(3)	Examinations	.1003(g)(1)
		Records	.1003(g)(2)
Area requirements	.1003(c)	Regulated area requirements	.1003(d)
Contamination control	.1003(d)(4)	Contamination control	.1003(d)(4)
Closed system operation	.1003(c)(2)	Emergencies	.1003(d)(2)
Emergencies	.1003(d)(2)	Hygiene facilities and prac-	.1003(d)(3)
General regulated area re-	.1003(d)	tices.	(-)(-)
quirements.		Reports	.1003(f)
Hygiene facilities and prac-	.1003(d)(3)	Incidents	.1003(f)(2)
tices.		Operations	.1003(f)(1)
Isolated systems	.1003(c)(1)	Signs, information, and training	.1003(e)
Maintenance and decon-	.1003(c)(5)	Container contents identifica-	.1003(e)(2)
tamination activities.		tion.	.1000(0)(2)
Open-vessel system oper-	.1003(c)(3)	Lettering	1003(0)(3)
ations.	( ) ( )		.1003(e)(3)
Transfer from a closed oper-	.1003(c)(4)	Prohibited statements	.1003(e)(4)
ation.	(-)(.)	Signs	.1003(e)(1)
Medical surveillance	.1003(g)	Training and indoctrination	.1003(e)(5)
Examinations	.1003(g)(1)	Nitrous Oxide	.105
Records	.1003(g)(1)	Administrative Controls	.95(b)(1)
		Effective Dates	.114
Regulated area requirements	.1003(d)	Engineering Controls	.95(b)(1)
Contamination control	.1003(d)(4)	Standards Sources	.115
Emergencies	.1003(d)(2)	Noise Exposure	.95
Hygiene facilities and prac-	.1003(d)(3)	Effective Dates	.98
tices.		Personal Protective Equipment	.95(b)(1), (c), (i), (j
Reports	.1003(f)	Pulpwood Logging	.266(c)(1)(vi)
Incidents	.1003(f)(2)	Standards Sources	.99
Operations	.1003(f)(1)	Nonionizing Radiation	.97
Signs, information, and training	.1003(e)	Effective Dates	.98
Container contents identifica-	.1003(e)(2)	Electromagnetic Radiation	.97(a)
tion.	·(-/( <del>-</del> /	Standards Sources	.97(a)
Lettering	.1003(e)(3)	Nonpotable Water	.120(n)(2)
Prohibited statements	.1003(e)(4)	Noxious Gases, Storage Areas	.178(i)
Signs	.1003(e)(1)	Nozzles:	0.47 \/0\/ = : : :
Training and indoctrination	.1003(e)(5)	Abrasive Blasting	.94(a)(2)(iii), .244(
leedle Beam Scaffolds	.28(n)	Gasoline	.106(g)(3)(vi)
-Nitrobiphenyl	.1003	Standpipe	.158(c)(4)
Area requirements	.1003(c)	Occupational Noise Exposure: (see	
01 1 1 1	.1003(c)(2)	Noise Exposure)	
Closed system operation	.1000(0)(2)	Odorizing Gases	

Subject term	Section No.	Subject term	Section No.
Open-Sided Floors Open Surface Tanks: (see Tanks:	.23(c)	Piping Systems	.253(d) .253(e)
Open Surface)		Oxygen Manifolds:	
Openings: (see also Floor Openings	.23	High Pressure	.253(c)(2)
(Holes), Wall Openings (Holes)). Tanks:		Low Pressure	.253(c)(3)
Inside	.106(b)(4)(iv)	Painters' Stepladders	.25(c)(4)(ii)
Organic Peroxide Coatings: (see also	.107(m)	Color Code	.144
Dual Component Coatings. (see also	.107(111)	Paper and Paperboard Mills: (see also	.261
Outdoor Storage:		Pulp, Paper and Paperboard Mills).	
Flammable Liquids	.106(d)(6)	Passageways, Working Surfaces	.22(b)
Outlet Headers, welding	.253(c)(4)	Permissible Exposure Limits	.1000
Protective Equipment	.253(e)(4)	Personal Protection: (see also Per-	.219(p)(7)
Outrigger Scaffolds	.28(e)	sonal Protective Equipment).	
Outside Storage Trucks	.178(c)(2)(ix), (xi)	Personal Protective Equipment: (see	
Direct-Fire	.263(I) .263(I)(10)	also Lifelines, and Other Terms List- ed Below)	
Direct Recirculating	.263(I)(11)	Abrasive Blasting	.94(a)(5)
Electrical Heating Equipment	.263(I)(8)	Asbestos Exposure	.1001(d)
General Requirements	.263(I)(9)	Clothing	.1001(d)(3)
Indirect Recirculating	.263(I)(15)	Bloodborne pathogens, exposure	.1030(c)(2)(ii),
Location	.263(I)(1)	to, use of ppe.	(d)(2)(i) and (3)
Mechanical Parts	.263(I)(3)	Electrical Protective Equipment	.137, .268(f)
Overflow Pipes, Dip Tanks	.125(b)	Electrical safety-related work prac-	.333(c)(2), .335(a)
Overhead Cranes: (see also Overhead	.179	tices, use of ppe.	
and Gantry Cranes).		Emergency Showers and Foun-	
Overhead and Gantry Cranes: Access	.179(c)(2)	tains: Pulp, Paper and Paperboard	.261(g)(5), (18)
Adjustments	.179(I)(3)	Mills.	.201(g)(3), (10)
Brakes	.179(f)	Eye Protection	.133
Bridge Bumpers	.179(e)(2)	Face Protection	.133
Cabs	.179(c)	Fire Brigades	.156
Clearances	.179(b)(6)	Foot Protection	.136
Effective Dates	.179(b)(2), .182	General Requirements	.132
Electric Equipment	.179(g)	Hand protection	.138
Fire Extinguishers Footwalks	.179(c)(3), (o)(3)	Hazardous Waste Operations Head Protection	.120(g)
Guards	.179(d) .179(e)(5), (6)	Noise Exposure	.135 .95(b)(1)
Handrails	.179(d)(3), (4)(ii)	Pulp and Paper Mills	.261(g)(2), (i)(4),
Hoisting Equipment	.179(h)	r dip did r dpor mile illininiiiii	(k)(3)
Hoisting Rope Guards	.179(e)(5)	Pulpwood Logging	.266(c)(1)(i)–(v)
Inspections	.179(j), (m)	Respiratory Protection	.134
Ladders	.179(d)(4)	Textiles	.262(qq)
Lighting	.179(c)(4)	Welding	.252–.257
Load Handling	.179(n)	Booths	.252(b)(2)(iii)
Maintenance	.179(l)	Cable	.252(b)(1)(ii)
Modifications  Moving Part Guards	.179(b)(3) .179(e)(6)	Clothing Eye Protection	.252(b)(3) .252(b)(2)
Rail Clamps	.179(b)(4)	Helmets	.252(b)(2)
Rail Sweeps	.179(e)(4)	Railing	.252(b)(1)(i)
Rated Load:		Shade Numbers, Lenses	.252(b)(2)(ii)(H), (b)
Markings	.179(b)(5)	Physical Hazards Markings: (see also	.144
Tests	.179(k)(2)	Color Codes, Physical Hazards:	
Repairs	.179(I)(3)	Markings).	
Rope inspection	.179(m)	Effective Dates	.149
Stairways Standards Sources	.179(d)(4)	Standards Sources	.150
Testing	.183 .179(k)	Piers and Wharves: (see also Wharves)	
Toeboards	.179(d)(3)	Trucks Used	.178(c)(2)(x)
Trolley Bumpers	.179(e)(3)	Pipes:	(0)(=)(N)
Trolley Stops	.179(e)(1)	Dip Tanks	.125(b)
Warning Devices	.179(i)	Flammable Liquids	.107(e)(6)
Wind Indicators	.179(b)(4)	Overflow	.125(b)
Overhead Wires:		Piping: (see Piping, Fittings and Tub-	
Cranes	.180(j)(4)	ing; Piping, Valves and Tubing)	
Derricks	.181(j)(5)(iv)	Piping, Fittings and Tubing:	111/b\/7\
Overspray Collectors Oxygen: (see also Bulk Oxygen Sys-	.107(b)(6) .104	Anhydrous Ammonia  Bulk Oxygen Systems	.111(b)(7) .104(b)(5)
tems).	.104	Gaseous Hydrogen Systems	.104(b)(5)
Effective Dates	.114	Liquefied Hydrogen Systems	.103(c)(1)(ii), (iii)
Standards Sources	.115	Liquefied Petroleum Gases	.110(b)(8)
Storage	.252(a)(2)(iv)	Safety Relief Devices	.103(b)(1)(ii),
Oxygen-Fuel Gas Systems	.253	•	(c)(1)(iv)
Outlet Headers	.253(c)(4)	Piping Systems, Oxygen-Fuel	.253(d)

Subject term	Section No.	Subject term	Section No.
Fittings	.253(d)(1)	DS	.178(b)(2)
Installation	.253(d)(3)	DY	.178(b)(3)
Painting	.253(d)(4)	Ē	.178(b)(4)
Piping	.253(d)(1)	ES	.178(b)(5)
Piping Joints	.253(d)(2)	EE	.178(b)(6)
Pressure Relief Devices	.253(e)(2)	EX	.178(b)(7)
Protective Equipment	.253(e)(3), (4)	G	
Signs			.178(b)(8)
Station Outlets	.253(d)(4)	GS	.178(b)(9)
	.253(e)(4)	LP	.178(b)(10)
Testing	.253(d)(5)	LPS	.178(b)(11)
X-ray Inspections	.252(d)(1)(vii)	Effective Dates	.182
iping, Valves, and Fittings:	100(-)	Fire Protection	.178(a)(1)
Flammable and Combustible Liq-	.106(c)	Front End Attachments	.178(a)(5)
uids.		Fuel Handling	.178(f)
Corrosion Protection	.106(c)(5)	Gases and Fumes	.178(i)
Design	.106(c)(1)	Grain Handling	.178(c)(2)(vi), (b)
Joints	.106(c)(3)	Hazardous Materials	.178(c)(2)
Materials	.106(c)(2)	Lighting	.178(h)
Supports	.106(c)(4)	Loading	.178(o)
Testing	.106(c)(7)	Maintenance	.178(q)
Valves	.106(c)(6)	Markings	.178(a)(6)
Liquefied Petroleum Gases	.110(h)(7)	Modifications	.178(a)(4)
Processing Plants	.106(h)(4)(ii)	Operations	.178(p)
its	.23(a)(5)		
Drains	.110(d)(11)	Repairs	.178(q)
laning Machines	.213(n)	Safety Guards	.178(e)
lasterers' Scaffolds	.28(o)	Standards Sources	.183
lastics Industry: (see also Mills, Rub-	.20(0)	Training Operators	.178(I)
ber and Plastics Industry)		Traveling	.178(n)
Auxiliary Equipment	.216(a)(3)	Truck Operations	.178(m)
Effective Dates	.216(a)(1), (2), .220	Powered Platforms	.66–.70
	.210(a)(1), (2), .220	Access	.66(f)(3) (i)(K),
Installations:	040(-)(0)		(ii)(D), (iii)(C)(2
Existing	.216(a)(2)		(f)(5)(ii)(J)
New	.216(a)(1)	Application	.66(b)
Mills and Calenders	.216	Buildings, affected parts	.66(e)
Standards Sources	.221	Definitions	.66(d)
latform Lift Trucks: (see also Pow-	.178	Electrical	.66(e)(11), (f)(8)
ered Industrial Trucks).		Equipment	.66(f)
latforms, Scaffolds: (see also Listings			
Under Specific Type Scaffold)		Fall Arrest systems	66(f)(5)(ii)(L), (M
Guarding	.23(c)		(iii)(B), (j), App
Manlifts	.68(c)(3)	Hoisting Equipment	.66(f)(4), (g)(6)
neumatic Powered Tools	.243(b)	Inspections	.66(g)
Airhoses	.243(b)(2)	Lockout	.66(f)(3)(i)(J)
Portable	.243(b)(1)	Maintenance	.66(e)(5), (10), (g
oint of Operation Guarding	.212(a)(3), .217(c)		(h)
olishing: (see Grinding, Polishing and	.212(a)(b), .217(c)	Manlifts	.68
		Reshackling Hoists	.66(h)(4)
Buffing)	157	Ropes	.66(f)(7), (g)(5),
ortable Fire Extinguishers: (see also	.157	Порез	(h)(3), (4)
Fire Extinguishers, Portable).		Standarda Cauraga	
ortable Metal Ladders: (see also Lad-	.26	Standards Sources	.69
ders, Portable Metal).		Tests	.66(g)
ortable Stepladders: (see Step-		Vehicle-Mounted	.67
ladders, Portable)		Powered Tools, Hand and Portable:	
ortable Tank Storage: (see Tank		Abrasive Wheels	.243(c)
Storage, Portable)		Compressed Air Cleaning	.242(b)
ortable Tanks: (see Tanks, Portable)		Definitions	.241
ortable Tools: (see also Powered	.244	Effective Dates	.245
Tools, Hand and Portable).		Employees	.242(a)
ortable Welding Machines: (see		Explosive Actuated Fastening	.243(d)
Welding Machines, Portable)		Guarding	.243
	05	Lawn Mowers, Power	.243(e)
ortable Wood Ladders: (see also	.25	Pneumatic Powered	.243(b)
Ladders, Portable Wood).	407(1)		
owder Coatings	.107(I)	Standards Sources	.246
ower Presses, Mechanical: (see Me-		Woodworking	.243(a)
chanical Power Presses)		Presses: (see also Mechanical Power	
owered Industrial Trucks:		Presses)	
Approval Labels	.178(a)(3), (7)	Cold Trimming	.218(g)(2)
Batteries	.178(g)	Forging	.218(f)
	.178(c)(2)(vi)	Hot Trimming	.218(g)(2)
Combustible Dusts		Hydraulic Forging	.218(f)(2)
	.178(d). (a)(12)		
Conversion	.178(d), (q)(12) 178(a)(2)		
Conversion  Design and Construction	.178(a)(2)	Trimming	.218(g)
Conversion			

Subject term	Section No.	Subject term	Section No.	
Chemical Plants	.106(i)(3)	Materials Handling	.261(m)	
Distilleries	.106(i)(3)	Mechanical Pulp Processes	.261(i)	
Pulp and Paper Mills	.216(g)(16), (17)	Personal Protective Equipment	.261(d)(1)	
Refineries	.106(i)(3)	Pulpwood:		
Pressures: (see Safety Relief Devices)		Preparation	.261(e)	
Prime Mover Guards	.219(b)	Removal	.261(c)(14)	
Primers, Ammunition	.109(j)(4)	Rags and Old Paper	.261(f)	
Process safety management of highly	.119	Safe Practices	.261(b)	
hazardous chemicals (see Chemi-		Signs:	001/=\/10\	
cals, etc.).		Conveyors	.261(c)(16)	
Processing Plants, Flammable and	.106(h)	TrafficStandards Sources	.261(c)(9)	
Combustible Liquids.	400(1)(4)	Stock Preparation	.261(a)(3), (4); .268 .261(j)	
Application	.106(h)(1)	Storage	.261(c), (d)	
Buildings	.106(h)(3)	Chocking Rolls	.261(d)(4)	
Fire Protection	.106(h)(6)	Clearances	.261(d)(2)	
Housekeeping	.106(h)(8)	Piling	.261(d)(3)	
Ignition Sources	.106(h)(7)	Traffic Warning Signs	.261(c)(9)	
Liquid Handling	.106(h)(4)	Pulpwood Logging	.266	
Loading	.106(h)(5)	Chain Saw Operations	.266(e)(2)	
Location	.106(h)(2)	Chipping	.266(h)(4)	
Maintenance	.106(h)(8)	Environmental Conditions	.266(d)(5)	
Profile Lathes	.213(0)	Explosives	.266(d)(10)	
Projections	.219(h)	First Aid	.266(d)(2), (i)(7),	
beta-Propiolactone	.1003		App. A, App. B	
Area requirements	.1003(c)	Hand and Portable Powered Tools	.266(e)	
Closed system operation	.1003(c)(2)	Harvesting	.266(h)	
Isolated systems	.1003(c)(1)	Bucking	.266(h)(3)	
Maintenance and decon-	.1003(c)(5)	Felling	.266(h)(2)	
tamination activities.	1002(a)(2)	Limbing	.266(h)(3)	
Open-vessel system oper-	.1003(c)(3)	Loading	.266(h)(6)	
ations.	1002(a)(4)	Machines for Moving Materials	.266(f)	
Transfer from a closed oper-	.1003(c)(4)	designated operator	.266(f)(2)	
ation. Medical surveillance	1003(a)	FOPS/ROPS	.266(f)(3)	
	.1003(g)	overhead guard	.266(f)(4)	
Examinations	.1003(g)(1)	machine access	.266(f)(5)	
Records	.1003(g)(2)	exhaust system	.266(f)(6)	
Regulated area requirements	.1003(d)	brakes	.266(f)(7)	
Contamination control	.1003(d)(4)	guarding	.266(f)(8)	
Emergencies	.1003(d)(2)	Personal Protective Equipment	.266(d)(1)	
Hygiene facilities and prac-	.1003(d)(3)	Seat Belts	.266(d)(3)	
tices.	1000/0	Storage	.266(h)(8)	
Reports	.1003(f)	Training	.266((i)	
Incidents	.1003(f)(2)	frequency	.266(i)(2)	
Operations	.1003(f)(1)	content	.266(i)(3)	
Signs, information, and training	.1003(e)	first-aid	.266(i)(7)	
Container contents identifica-	.1003(e)(2)	designated trainer	.266(i)(8)	
tion.		certification	.266(i)(10)	
Lettering	.1003(e)(3)	meetings	.266(i)(11)	
Prohibited statements	.1003(e)(4)	Vehicles	.266(g)	
Signs	.1003(e)(1)	maintenance	.266(g)(1)	
Training and indoctrination	.1003(e)(5)	inspection	.266(g)(2)	
Protective Clothing: (see Clothing, Pro-		instructions	.266(g)(3)	
tective and Personal Protective		Work Areas	.266(d)(6)	
Equipment)	050()	Pumps, Gasoline: (see also Service	.106(g)(3), (4)	
Protective Equipment, Piping: (see	.253(e)	Stations).		
also Personal Protective Equipment).		Pyrotechnics	.109(k), .119	
Hoses and Connections	.253(5)	Radial Saws	.213(h)	
Pressure-Reducing Regulations	.253(6)	Radiation:	. ,	
Stations Outlet	.253(4)	lonizing	.96	
Pulleys	.219(d), (k), (p)(5)	Nonionizing	.97	
Pulp, Paper and Paperboard Mills:		Radioactive Materials:		
Barking Devices	.261(c)(12)	Packaged	.96(h)	
Belt Conveyors	.261(c)(15)	Storage	.96(j)	
Bleaching	.261(h)	Rail Clamps	.179(b)(4), .180(i)(1	
Bridge or Dock Plates	.261(c)(11)	Rail Sweeps	.179(e)(4)	
Chemical Processes	.261(g)	Railroad Cars	.176, .178(k)(2)–(4)	
Cranes	.261(c)(8)	Explosives	.109(f)	
Finishing Rooms	.261(1)	Ramps:	,	
Hand Tools	.261(c)(13)	Rated Load Markings:		
Handling	.261(c), (d)	Cranes	.179(b)(5)	
Lighting	.261(b)(2), (c)(10),	Derricks	.181(c)(2)	
J - J	(k)(21)	Rated Load Test:	- \-/\ /	
			.180(e)(2)	
Lockouts	.261(b)(1)	Crawler, Locomotive, and Truck		

Subject term	Section No.	Subject term	Section No.
·		· •	
Overhead and Gantry Cranes Recordkeeping:	.179(k)(2)	Respirators: (see also Gas Mask Canisters).	.134
Asbestos	.1001(i), (j)(6)	Abrasive Blasting	.94 (a)(1)(ii), (a)(5)
Bloodborne pathogens, exposure	.1030(f)(6), (h)	Air Supply	.94(a)(6), .134(d)
to.	00()	Asbestos	.1001(d)(1), (2)
Building Inspection, assurance for	.66(c)	Cleaning	.134(b)(5), (f)(3)
powered platform use. Communicable Diseases	.142(I)(1) and (2)	Color Codes	.134(g)(6)
Cranes:	.142(I)(1) and (2)	Employer Provided	.134(a)(2)
Crawler, Locomotive and	.180(d)(2) and (6),	Fire brigades	.156(f)
Truck.	(e)(2), (g)(i) and	Identification	.134(g)
	(2)	InspectionLabeling	.134(b)(7), (f)
Overhead and Gantry	.179(k)(2), (m)(1)	Maintenance	.134(g)
•	and (2)	Minimum Acceptable Program	.134(f) .134(b)
Derricks	.181(g)(1) and (3)	Positive-pressure	.154(b)
Forging Equipment Inspection	.218(a)(2)	Pulp, and Paper Mills	.261(g)(2), (6), (10),
Hazardous Waste Operations	.120(f)(7)	ruip, and raper wills	(15)(ii)
Injury Reporting, Welding	.252(c)(13)	Repairs	.134(f)(4)
Ionizing Radiation Exposure	.96(m), (o)	Selection	.134(c)
Labor Camps	.142(I)(1) and (2)	Storage	.134(b)(6), (f)(5)
Liquid Storage Tanks, Class I	.106(g)(1)	Training	.134(b)(3)
Manlifts	.68(e)(3)	Use	.134(e)
Mechanical Power Presses Personal Monitoring:	.217(e)(1)	Welding	.252(c)(4)(ii), (iii);
Asbestos	.1001(i)(1)	Wolding	(5)(ii); (7)(ii); (8);
Ionizing Radiation	.96(n)		(9); (10)
Power Presses Inspection	.217(e)(1)	Respiratory Protection: (see also Res-	.134
Powered Platforms Inspection	.66(g)	pirators).	
Radiation Exposure	.96(b)(2)(iii), (m)(1),	Air Quality	.94(a)(6), .134(d)
	(n), (o)(1)	Air Supply	.94(a)(6), .134(d)
Records, Disclosure, Ionizing Ra-	.96(o)(1)	Fire brigades	.156(f)
diation.	. , . ,	Fit testing	.1001(g)(4), App. C,
Respirators	.134(e)(2), (f)(2)(iv)	-	.1025(f)(3), App.
Welding Operations	.252(c)(13), .255(e)		D, .1028(g)(5),
Records:	" "		App. E,
Asbestos	.93a(i), (j)(6)		.1048(g)(3)(ii),
Ionizing Radiation	.96(m), (n)		App. E
Mechanical Power Presses Refineries, Chemical Plants and Distill-	.217(e)(1) .106(i)	Gas Mask Canister Identification	.134(g)
eries.	.100(1)	Minimum Acceptable Program	.134(b)
Application	.106(j)	Permissible Practices	.134(a)(1)
Fire Protection	.106(i)(5)	Respirators	.134(a)(2), (b), (c),
Pressure Vessels	.106(i)(3)	Use	(e)
Process Unit Location	.106(i)(4)		.134(e)(5) .1200
Storage Tanks	.106(i)(1)	Right to know Rim wheels, multi-piece	.177
Wharves	.106(i)(2)	Ring Test	.215(d)(1)
Refrigerated Containers:		Ripsaws	.213(d)(1)
Anhydrous Ammonia	.111(d)	Risers, Open	.24(j)
Refueling:	100(")(1)	Rodent Control	.141(a)(5)
Cranes	.180(i)(4)	Labor Camps	.142(j)
Derricks	.181(j)(4)	Rolling Scaffolds: (see Work Platforms,	, J
Refuse:	.178(p)(2)	Mobile).	
Disposal	.142(h)	Roofing Brackets	.28(s)
Receptacles	.141(a)(4)	Catch Platforms	.28(s)(3)
Relief Devices: (see Safety Relief De-	(\a)(.)	Construction	.28(s)(1)
vices)		Supports	.28(s)(2)
Remote Gas Pumping Systems	.106(g)(3)(v)	Rope Inspections:	
Residue Disposal: (see Waste Dis-	(6/( /( /	Cranes	.179(m), .180(g)
posal)		Derricks	.181(g)
Resistance Welding Equipment	.255(c)	Ropes:	, , ,,,
Capacitor Discharge Welding	.255(b)(2)	Cranes	.179(m), .180(g)
Disconnecting Means	.306(d)(2)	Hoists	.179(n)(2)
Foot Switches	.255(b)(6)	Inspections	.179(m), .180(g)
Grounding	.255(b)(9)	Running  Derricks	.179(m)(1)
Guarding	.255(a)(4), (b)(4)	Idle Ropes	.181(g)
InstallationInterlocks	.255(a)(1)	Limited Travel	.181(g)(3) .181(g)(2)
Safety Pins	.255(b)(3)	Nonrotating Ropes	.181(g)(2) .181(g)(4)
Shields	.255(b)(8) .255(b)(5)	Running	.181(g)(4)
Spot and Seam Welding	.255(b)	Powered Platforms	.66(f)(7), (g)(5),
Stop Buttons	.255(b)(7)	i oworod i iddollilo	(h)(3), (4)
Thermal Protection	.255(a)(2)	Rotary Lawn Mowers	.243(e)(1), (4)
Resistors:	(/(/	Rotating Work Platforms: (see also Ve-	.67
Cranes	.179(g)(4)	hicle-Mounted Work Platforms).	

Subject term	Section No.	Subject term	Section No.
Rubber Industry: (see also Mills, Rub-	,	Lighting	.265(c)(9)
ber and Plastics Industry)		Platforms	.265(c)(4)
Auxiliary Equipment	.216(a)(3), (b)(3)	Stairways	.265(c)(5)
Effective Dates		Handrails	
	.216(a)(1), (2); .220		.265(c)(5)(ii)
Installations:	040(-)(0)	Lighting	.265(c)(5)(iii)
Existing	.216(a)(2)	Tanks	.265(c)(8)
New	.216(a)(1)	Vats	.265(c)(8)
Mills and Calenders	.216	Walkways	.265(c)(4)
Standards Sources	.221	Work Areas	.265(c)(2)
Rubber Protective Equipment	.221	Burners	.265(c)(29)
Rung Ladders, Portable	.25(c)(3)	Chippers	.265(c)(21)
Running Ropes:	* * * * * * * * * * * * * * * * * * * *	Conveyors	.265(c)(18)
Cranes	.179(m)(1),	Definitions	.265(b)
	.180(g)(1)	Effective Dates	.265(j)
Derricks		Exhaust Systems	.265(c)(20)
	.181(g)(1)		
Runway Conductors:	170( )(0)	Gas Piping and Appliances	.265(c)(15)
Cranes	.179(g)(6)	General Requirements	.265(a)
Runway Protection	.23(c)	Hydraulic Systems	.265(c)(13)
Safety Belts: (see also Lifelines)		Kilns, Dry	.265(f)
Powered Platforms	.66(f)(5(ii), (L), (M),	Log Breakdown	.265(e)
	(iii)(B), (j), App. C	Log Handling, Sorting, and Stor-	.265(d)
Pulp, Paper, and Paperboard Mills	.261(g)(4), (15)	age.	(-)
Scaffolding		Barking Devices	.265(d)(4)
Goanolung	.28(j)(4), (n)(8),		
VAC - Lelling on	(s)(3), (t)(2),(u)(6)	Log Decks	.265(d)(3)
Welding	.252(b)(4)(iv)	Storage Areas	.265(d)(2)
afety Color Codes:		Unloading	.265(d)(1)
Effective Dates	.149	Unloading Areas	.265(d)(2)
Standards Sources	.147	Lumber:	
afety Devices:		Loading	.265(c)(28)
Ladders	.27(d)(5)	Piling	.265(c)(27)
safety Guard Design, Abrasive Wheel	.215(a)(2), (b)(10)–	Storage	.265(c)(27)
,			
Machinery.	(12)	Marking Physical Hazards	.265(c)(11)
afety Instruction Signs	.145(c)(3), (d)(6)	Refuse Removal	.265(c)(20)(vi)
Safety Relief Devices:		Ropes, Cables, Slings, and	.265(c)(24)
Bulk Oxygen Systems	.104(b)(6), (7)(ii)	Chains.	
Flammable Liquids	.107(e)(8)	Stackers and Unstackers	.265(c)(26)
Gaseous Hydrogen Systems	.103(b)(1)(ii)	Standards Sources	.265(a)(2), (j); .26
Liquefied Hydrogen Systems		Traffic Control	
	.103(c)(1)(iv)		.265(c)(31)
Liquefied Petroleum Gases	.110(b)(10), (c)(7),	Tramways	.265(c)(19)
	(d)(4), (e)(7),	Trestles	.265(c)(19)
	(g)(7), (h)(4)	Vehicles	.265(c)(30)
Non-DOT Containers	.110(d)(4)	Saws:	
Spraying	.107(e)(8)	Band	.213(i)
Safety-Toe Footwear: (see Foot Pro-	( ) ( )	Band Resaws	.213(i)
tection)		Circular	.213(f); .243(a)(1
	212(n) 242(n)(2)	Circular Resaws	
Sanding Machines	.213(p), .243(a)(3)		.213(e)
anitation	.141	Cracked	.243(a)(4)
Application	.141(a)(1)	Cylindrical Saws	.214(c)
Change Rooms	.141(e)	Drag	.213(r)
Effective Dates	.149	Forging Machines	.218(j)(2)
Food Handling	.141(h)	Heading Bolt	.214(a), (c)
Hazardous Waste Operations	.120(b)(13), (n)	Inspection	.213(s)
Housekeeping	.141(a)(3)	Radial	.213(h)
Insect Control	.141(a)(5)	Ripsaws	
		Swing Cutoff	.213(c)
Lunchrooms	.141(g)		.213(g)
Rodent Control	.141(a)(5)	Table	.213(d)
Sawmills	.265(h)	Scaffolding: (see also Scaffolds)	
Standards Sources	.150	Safety Requirements	.28
Toilet Facilities	.141(c)	Scaffolds: (see also Ladder Stands	
Vermin Control	.141(a)(5)	Listings by Names of Scaffolds)	
Washing Facilities	.141(d)	Boatswain's Chair	.28(j)
Waste Disposal		Bricklayers' Square	
	.141(a)(4)		.28(I)
Water Supply	.141(b)	Carpenters' Bracket	.28(k)
awmills:		Chicken Ladders	.28(t)
Bins, Bunkers, Hoppers, and Fuel	.265(c)(23)	Coupler, Mobile	.29(d)
Houses.		Crawling Boards	.28(t)
	.265(c)(23)(iii)	Decorators'	.28(o)
Lighting	.265(c)(23)(ii)	Float	.28(u)
Lighting		Horse	
Loading Bins			.28(m)
Loading BinsBlower Systems	.265(c)(20)		
Loading Bins  Blower Systems  Building Facilities	.265(c)(20) .265(c)	Interior Hung	.28(p)
Loading Bins	.265(c)(20)		
Loading Bins	.265(c)(20) .265(c)	Interior Hung	.28(p) .28(q)
Loading Bins  Blower Systems  Building Facilities	.265(c)(20) .265(c) .265(c)(4)	Interior HungLadder-Jack	.28(p)

Subject term				T
Plasteriers   28(c)   Biological Hazards   .145(c)(4), (f)(8)	Subject term	Section No.	Subject term	Section No.
Powered platforms				
Roofing Brackets				
Ship			Caution	
Single-Point Adjustable Suspension.   Stone Setters' Adjustable Multiple   Point Suspension.   28(f), (g), (h), (i)   Gas Mask Canisters   149   Hascidous materials, retention of   1201   Hascido			Colors	
Stone Setters' Adjustable Multiple   Point Supersion.   28(h)   Design	Single-Point Adjustable Suspen-			.145(c)(1), (d)(2),
Point Suspension   28(n), (g), (h), (i)   28(n)   30   30   30   30   30   30   30   3		.28(h)	Design	
Swinging				
Tube and Coupler   28(c)   DOT markings   66(f)(7)(w)   Tubular Welded Frame   28(d)   29(b)   Powered Platforms   66(f)(7)(w)   261(c)(9), (16)   Tubular Welded Sectional Folding   29(c)   Radiation Warning   97(a)(3)   Respirators   134(g)   13	Suspension	.28(f), (g), (h), (i)		.134(g)
Tubular Welded Frame				.1201
Tubular Welded Frame   28(d), 29(b)   Pulp and Paper Mills   261(c)(9), (16)   Tubular Welded Sectional Folding Two-Point Suspension   28(g)   Radiation Warning   97(a)(a)   134(g)				66(f)(7)(vi)
Tuvolar Welded Sectional Folding   29(c)   Radiation Warning   97(a)(3)   170(a)(6)   170(a)(a)(b)   170(a)(a)(b)   170(a)(a)(a)(b)   170(a)(a)(a)(b)   170(a)(a)(a)(a)(a)(a)(a)(a)(a)(a)(a)(a)(a)(				
Two-Point Suspension				
Scarloflok, Manual Mobile: (see also Work Platforms, Mobile Scarloflods)   29   Specifications   .93a(gili), 145   .155			Respirators	
Scaffolds, Manual Mobile: (see also Work Platforms, Mobile Scaffolds), Scientific Diving (see Diving, Scientific Diving (see Diving), Scientific Diving (see Diving, Scientific Diving (see Diving), Scientific Diving (see Diving, Scientific Diving (see Diving, Scientific Diving (see Diving, Scientific Di				
Sizendific Driving (see Diving, Scientific Semigantry Cranes)   Sizendific Semigantry Cranes: (see Gantry Cranes)   Single-Point Adjustable Suspension Scaffolds.   Single-Point Adjustable Suspension Single-Point Adjustable Suspe				
Scientific Diving (see Diving, Scientific Semigantry Cranes)   Single-Point Adjustable Suspension Scaffolds.   Single-Point		.29		
Semigantry Cranes   Semigantry Cranes   Single-Point Adjustable Suspension   Scaffolds.				
Separation Walls: (see also Distances From Hazards)				
From Hazards   Ammonium Nitrate   109(i)(5)   Skylight Floor Openings   23(a)(4)				
Ammonium Nitrate				
Service Stations:   Flammable and Combustible Liquids.   106(g)   Sleeves, Rubber Insulating   137   138		100(i)(5)		
Flammable and Combustible Liquids		.109(1)(5)		
uids.         106(g)(3)         Slurges         194           Drainage         106(g)(7)         Small Arms Ammunition         109(j)           Electrical Equipment         106(g)(8)         Small Arms Ammunition         109(j)           Fire Protection         106(g)(8)         Smokeless Propellants         109(j)(3)           Handing         106(g)(8)         Smokeless Propellants         109(j)(3)           Heating Equipment         106(g)(8)         Smokings:         109(j)(3)           Marine Stations         106(g)(8)         Smokings:         109(g)(1)           Multi-piece rim wheels, servicing         177         Explosives         109(g)(1)           Private Stations         106(g)(2)         Flammable Liquids         106(c)(7)(ii)           Storage         106(g)(1)         Powder Coatings         107(i)(4)(iii)           Waste Disposal         106(g)(7)         Spraying         107(g)(7), (1)(4)(iii)           Liquelled Petroleum Gases         110(h)         Spraying         (m)(2)           Accessories         110(h)(3)         Sources of Standards: (see Standards           Capacity         110(h)(5)         Special Industries:           Installation         110(h)(6)         Special Industries:           Protecting Fittin		.106(g)		
Drainage		(3)		.184
Electrical Equipment				
Fire Protection				
Handling				
Heating Equipment				
Marine Stations         .106(g)(4)         Dual Component Coatings         .107(m)(2)           Multi-piece rim wheels, servicing         .177         Explosives         .109(e)(1)           Private Stations         .106(g)(2)         Flammable Liquids         .106(d)(7)(iii)           Storage         .106(g)(7)         Spraying         .107(g)(4)(iii)           Waste Disposal         .110(h)(2)         Spraying         .107(g)(7), (i)(4)(iii), (m)(2)           Liquefied Petroleum Gases         .110(h)(3)         Sources of Standards: (see Standards Sources)         .110(h)(3)           Capacity         .110(h)(5)         Sources of Standards: (see Standards Sources)         .110(h)(7)           Protecting Fittings         .110(h)(7)         Bakeries         .263           Valves         .110(h)(3)         Cooperage         .214           Dispensing Devices         .110(h)(1)         Electrical Systems         .120           Fire Protection         .110(h)(1)         Laundries         .264           Filtings         .110(h)(1)         Laundries         .264           Filtings         .110(h)(1)         Laundries         .266           Puping         .110(h)(1)         Laundries         .266           Satety Relief Valves         .110(h)(1)				
Multi-piece rim wheels, servicing   1.77				
Private Stations				
Storage				
Waste Disposal         .106(g)(7)         Spraying         .107(g)(7), ( )(4)(iii), (m)(2)           Containers         .110(h)(2)         Snagging Machines         .215(b)(7)           Accessories         .110(h)(3)         Sources of Standards: (see Standards           Capacity         .110(h)(6)         Special Industries:           Installation         .110(h)(7), (9)         Bakeries         .263           Valves         .110(h)(1)         Cooperage         .214           Dispensing Devices         .110(h)(11)         Forging         .218           Electrical Systems         .110(h)(13)         Hazardous Waste Operations         .120           Fire Protection         .110(h)(17)         Paper and Paperboard Mills         .261           Fittings         .110(h)(17)         Paper and Paperboard Mills         .261           Piping         .110(h)(7)         Paper and Paperboard Mills         .261           Pumps         .110(h)(10)         Pulp Mills         .261           Safety Relief Valves         .110(h)(10)         Pulp Mills         .266           Truck Unloading         .110(h)(8)         Rubber Industry         .216           Valves         .110(h)(7)         Sawmills         .265           Setscrews <t< td=""><td></td><td></td><td></td><td></td></t<>				
Liquefied Petroleum Gases				
Accessories				(m)(2)
Capacity				.215(b)(7)
Installation				
Protecting Fittings				
Valves         .110(h)(3)         Cooperage         214           Dispensing Devices         .110(h)(11)         Forging         .218           Electrical Systems         .110(h)(13)         Hazardous Waste Operations         .120           Fire Protection         .110(h)(14)         Laundries         .264           Fittings         .110(h)(7)         Paper and Paperboard Mills         .261           Piping         .110(h)(7)         Plastics Industry         .216           Pumps         .110(h)(10)         Pulp Mills         .261           Safety Relief Valves         .110(h)(4)         Pulpwood Logging         .266           Truck Unloading         .110(h)(8)         Rubber Industry         .216           Valves         .110(h)(7)         Sawmills         .265           Setscrews         .219(h)         Standards Sources         .268           Sewage Disposal         .142(e)         Textiles         .219(a)(3), .262           Shafting Guarding:         .219(c)(2)         Spill Containment         .106(d)(6)(iii)           Horizontal         .219(c)(2)         Spill Containment         .106(d)(6)(iii)           Inclined         .219(c)(3)         Sporand Seam Welding Machines         .255(b)           Vertic				.263
Electrical Systems	Valves		Cooperage	.214
Fire Protection				
Fittings				
Piping				
Pumps				
Truck Unloading         .110(h)(8)         Rubber Industry         .216           Valves         .110(h)(7)         Sawmills         .265           Setscrews         .219(h)         Standards Sources         .268           Sewage Disposal         .142(e)         Texttles         .219(a)(3), .262           Shafting Guarding:         .142(e)         Texttles         .219(a)(3), .262           Horizontal         .219(c)(2)         Spill Containment         .106(d)(6)(iii)           Inclined         .219(c)(3)         Spot and Seam Welding Machines         .255(b)           Vertical         .219(c)(3)         Spray Booths         .107(b)           Sheaves:         .179(h)(1)         Air Flow         .94(c)(6)           Crane Hoists         .179(h)(1)         Air Flow         .94(c)(6)           Shelters, Labor Camps: (see also Facilities, Labor Camps).         .142(b)         Application         .107(n)           Ship Scaffolds: (see also Float Scaffolds: (see also Float Scaffolds: (see also Float Scaffolds: (see also Markings)         .28(u)         Clean Air         .94(c)(7)           Side-Rolling Ladders         .25(c)(5)         Curing Apparatus         .107(j)           Signs and Tags: (see also Markings)         .745         Dual Component Coatings         .107(m)	Pumps			.261
Valves         .110(h)(7)         Sawmills         .265           Setscrews         .219(h)         Standards Sources         .268           Sewage Disposal         .142(e)         Textiles         .219(a)(3), .262           Shafting Guarding:         .219(c)(2)         Spill Containment         .106(d)(6)(iii)           Horizontal         .219(c)(3)         Spot and Seam Welding Machines         .255(b)           Vertical         .219(c)(3)         Spray Booths         .107(b)           Sheaves:         .219(c)(3)         Spray Booths         .107(b)           Crane Hoists         .179(h)(1)         Air Flow         .94(c)(6)           Shelters, Labor Camps: (see also Facilities, Labor Camps).         .142(b)         Application         .107(n)           Ship Scaffolds: (see also Float Scaffolds: (see als	•			
Setscrews         219(h)         Standards Sources         268           Sewage Disposal         142(e)         Textiles         219(a)(3), 262           Shafting Guarding:         Woodworking         213           Horizontal         219(c)(2)         Spill Containment         106(d)(6)(iii)           Inclined         219(c)(3)         Spot and Seam Welding Machines         255(b)           Vertical         219(c)(3)         Sporay Booths         107(b)           Sheaves:         179(h)(1)         Air Flow         94(c)(6)           Shelters, Labor Camps: (see also Facilities, Labor Camps).         179(h)(1)         Air Flow         94(c)(6)           Ship Scaffolds: (see also Float Scaffolds: (see also Float Scaffolds).         28(u)         Clean Air         94(c)(7)           Side-Rolling Ladders         25(c)(5)         Curing Apparatus         107(e)           Signs and Tags: (see also Markings)         Accident Prevention         145         Dual Component Coatings         107(m)           Accident Prevention         145(c)         Electrical Systems         107(c)				
Sewage Disposal         .142(e)         Textiles         .219(a)(3), .262           Shafting Guarding:         .219(c)(2)         Spill Containment         .213           Horizontal         .219(c)(2)         Spill Containment         .106(d)(6)(iii)           Inclined         .219(c)(3)         Spot and Seam Welding Machines         .255(b)           Vertical         .219(c)(3)         Spray Booths         .107(b)           Sheaves:         .179(h)(1)         Air Flow         .94(c)(6)           Shelters, Labor Camps: (see also Facilities, Labor Camps).         .142(b)         Application         .107(n)           Ship Scatfolds: (see also Float Scaffolds: (see also Float Scaffolds).         .28(u)         Clean Air         .94(c)(7)           Side-Rolling Ladders         .25(c)(5)         Curing Apparatus         .107(j)           Signs and Tags: (see also Markings)         .25(c)(5)         Curing Apparatus         .107(j)           Accident Prevention         .145         Dual Component Coatings         .107(m)           Classification         .145(c)         Electrical Systems         .107(c)				
Shafting Guarding: Horizontal         219(c)(2)         Spill Containment         106(d)(6)(iii)           Inclined         219(c)(3)         Spot and Seam Welding Machines         255(b)           Vertical         219(c)(3)         Spray Booths         107(b)           Sheaves:         1.79(h)(1)         Air Flow         .94(c)(6)           Crane Hoists         1.79(h)(1)         Air Flow         .94(c)(6)           Shelters, Labor Camps: (see also Facilities, Labor Camps).         1.42(b)         Application         1.07(n)           Ship Scaffolds: (see also Float Scaffolds: (see also Float Scaffolds).         2.28(u)         Clean Air         .94(c)(7)           Side-Rolling Ladders         2.5(c)(5)         Curing Apparatus         .107(p)           Signs and Tags: (see also Markings)         Accident Prevention         .145         Dual Component Coatings         .107(m)           Accident Prevention         .145         Dual Component Coatings         .107(m)           Classification         .145(c)         Electrical Systems         .107(c)				
Inclined		(-)		
Vertical         219(c)(3)         Spray Booths         .107(b)           Sheaves:         .179(h)(1)         Air Flow         .94(c)(6)           Crane Hoists         .179(h)(1)         Air Flow         .94(c)(6)           Shelters, Labor Camps: (see also Facilities, Labor Camps).         .142(b)         Application         .107(n)           Ship Scaffolds: (see also Float Scaffolds: (see also Float Scaffolds).         .28(u)         Clean Air         .94(c)(7)           Side-Rolling Ladders         .25(c)(5)         Curing Apparatus         .107(p)           Signs and Tags: (see also Markings)         .25(c)(5)         Curing Apparatus         .107(p)           Accident Prevention         .145         Dual Component Coatings         .107(m)           Classification         .145(c)         Electrical Systems         .107(c)	Horizontal	.219(c)(2)	Spill Containment	.106(d)(6)(iii)
Sheaves:         Spray Finishing         107           Crane Hoists         .179(h)(1)         Air Flow         .94(c)(6)           Shelters, Labor Camps:         .142(b)         Application         .107(n)           Ship Scaffolds:         .28(u)         Clean Air         .94(c)(7)           Side-Rolling Ladders         .25(c)(5)         Curing Apparatus         .107(e)           Signs and Tags:         (see also Markings)         .145         Dual Component Coatings         .107(m)           Accident Prevention         .145         Dual Component Coatings         .107(m)           Classification         .145(c)         Electrical Systems         .107(c)				
Crane Hoists         .179(h)(1)         Áir Flow         .94(c)(6)           Shelters, Labor Camps: (see also Facilities, Labor Camps)         .142(b)         Application         .107(n)           Ship Scaffolds: (see also Float Scaffolds)         .28(u)         Clean Air         .94(c)(7)           Folds)         .25(c)(5)         Curing Apparatus         .107(e)           Side-Rolling Ladders         .25(c)(5)         Curing Apparatus         .107(j)           Signs and Tags: (see also Markings)         Drying Apparatus         .107(j)           Accident Prevention         .145         Dual Component Coatings         .107(m)           Classification         .145(c)         Electrical Systems         .107(c)		.219(c)(3)		
Shelters, Labor Camps: (see also Facilities, Labor Camps).  Ship Scaffolds: (see also Float Scaffolds).  Side-Rolling Ladders.  Acident Prevention.  Classification.  1.07(n)  Application		.179(h)(1)		
cilities, Labor Camps).         Automobile Undercoatings         .107(k)           Ship Scaffolds: (see also Float Scaffolds).         .28(u)         Clean Air         .94(c)(7)           Side-Rolling Ladders         .25(c)(5)         Curing Apparatus         .107(g)           Signs and Tags: (see also Markings)         .145         Dual Component Coatings         .107(m)           Accident Prevention         .145         Dual Component Coatings         .107(m)           Classification         .145(c)         Electrical Systems         .107(c)				
folds).  Side-Rolling Ladders		` ′		
Side-Rolling Ladders         .25(c)(5)         Curing Apparatus         .107(j)           Signs and Tags: (see also Markings)         Drying Apparatus         .107(j)           Accident Prevention         .145         Dual Component Coalings         .107(m)           Classification         .145(c)         Electrical Systems         .107(c)		.28(u)		
Signs and Tags: (see also Markings)         Drying Apparatus         107(j)           Accident Prevention         .145         Dual Component Coatings         .107(m)           Classification         .145(c)         Electrical Systems         .107(c)		05(-)(5)		
Accident Prevention         .145         Dual Component Coatings         .107(m)           Classification         .145(c)         Electrical Systems         .107(c)		.25(C)(5)		
Classification		145		
	Definitions			

Subject term	Section No.	Subject term	Section No
Fire Protection	.107(f)	Life Safety Code	.39
Flammable Liquids Storage	.107(i)	Liquefied Petroleum Gases	.115
Fusion Apparatus	.107(e)	Machinery Guarding	.221
Ignition Sources	.107(c)	Manlifts	.69
Location	.94(c)(2)	Materials Handling	.189
Maintenance	.106(g)	Medical	.153
Make-Up Air	.94(c)(7)	Medical Services	.153
Organic Peroxide Coatings	.107(m)	Nitrous Oxide	.115
Powder Coatings	.107(I)	Noise Exposure	.99
Spray Booths	.94(c)(3), .107(b)	Nonionizing Radiation	.99
Spray Rooms	.94(c)(4)	Nonwater Disposal Systems	.150
Undercoatings	.107(k)	Occupational Health	.99
Velocity	.94(c)(6)	Oxygen	.115
Ventilation	.94(c)(5), .107(d)	Physical Hazards Markings	.150
pray Liquid Heaters	.107(e)(7)	Platforms, Powered	.69
		Powered Industrial Trucks	.189
oraying Operations	.107(g)		
orinkler Systems:		Powered Platforms	.69
Egress	.37(m)	Powered Tools, Hand and Port-	.246
orinkler Systems, Automatic	.159	able.	
Acceptance tests	.159(c)(3)	Railings	.31
Design	.159(c)(1)	Safety Color Codes	.150
Drainage	.159(c)(7)	Sanitation	.150
Exemptions	.159(a)	Signs and Tags	.150
Hose Connections	.159(c)(5)	Special Industries	.274
	.159(c)(5)	Spray Finishing	
Hydraulically Designed			.115
Maintenance	.159(c)(2)	Tanks, Cargo and Portable	.170
Protection of Piping	.159(c)(6)	Toeboards	.31
Sprinkler Alarms	.159(c)(9)	Toxic Substances	.1499
Sprinkler Spacing	.159(c)(10)	Vehicle Mounted Work Platforms	.69
Water supply	.159(c)(4)	Ventilation	.99
orinklers	(-)( )	Walking-Working Surfaces	.31
Dip Tanks	.125(f)	Wall Openings	.31
prockets	.219(f)	Standpipe and Hose Systems	.158
ability Margin:		Equipment	.158(c)
Crane Loads	.180(c)(1)(i)–(iv)	Hose	.158(c)(3)
tainless Steel Cutting	.252(c)(12)	Hose Outlets and Connec-	.158(c)(2)
tairs, Fixed Industrial	.24	tions.	
Handrails	.24(h)	Nozzles	.158(c)(4)
Length of Stairways	.24(g)	Reels and Equipment	.158(c)(1)
Railings	.24(h)	Exceptions	.158(a)(2)
Rise Angle	.24(e)	Protection	.158(b)
Strength	.24(c)	Scope and Application	.158(a)(1)
Treads	.24(f)	Tests and Maintenance	.158(e)
Vertical Clearance	.24(i)	Acceptance Tests	.158(e)(1)
Width	.24(d)	Maintenance	.158(e)(2)
tandards Sources:		Water Supply	.158(d)
Accident Prevention Signs and	.150	Stands, Ladder: (see also Scaffolds;	, ,
Tags.		Work Platforms, Mobile)	
Acetylene	.115	Stationary Derricks: (see also Derricks)	.181
Air Contaminants	.99	Static Sparks	
			.219(p)(2)(ii)
Air Receivers	.169(a)(2), .170	Steps: (see Stairs)	
Anhydrous Ammonia	.115	Stepladders:	00( )(5)
Asbestos	.99	Portable Metal	.26(a)(3)
Blasting Agents	.115	Stepladders, Portable	.25(c)(2)
Color Codes	.150	Sticking Machines	.213(n)
Combustible Gases	.115	Stiffleg Derricks: (see also Derricks)	.181
Combustible Liquids	.115	Stone Setters' Adjustable Multiple-	
Compressed Gas Equipment	.170	Point:	
			28(h)
Compressed Gases	.115	Suspension Scaffolds	.28(h)
Cranes	.189	Stopping Limits, Mills and Calenders	.216(f) (1)–(3)
Derricks	.189	Stops: (see also Safety Devices)	
Dip Tanks	.115	Manlifts	.68(c)(5), (6)
Environmental Controls	.99, .150	Storage: (see also Materials Storage:	
Explosives	.115	Storage Areas; Tank Storage: Tank	
First Aid	.153	Storage, Portable)	
Flammable Liquids	.115	Ammonium Nitrate	.109(i)
Guarding Machinery	.221	Anhydrous Ammonia	.111
Hand-Held Equipment	.246	Blasting Agents	.109(g)(5)
Hazardous Materials	.115	Buildings	.106(d)(5)
Hydrogen	.115	Mercantile Occupancies	.106(d)(5)(iv)
11ya10g011			
	.189	Office Occupancies	
Indoor Storage	.189 99	Office Occupancies Warehouses	.106(d)(5)(iii) 106(d)(5)(v)
	.189 .99 .150	WarehousesClothing	.106(d)(5)(lll) .106(d)(5)(v) .107(g)(4)

	T		T
Subject term	Section No.	Subject term	Section No.
Containers, Bulk Oxygen	.104(b)(4), (6)	Application	.106(d)(1)(i)
Explosives	.109(c), (e)(2), (b)(1)	Capacity	.106(d)(2)
Flammable and Combustible Liq-	.106(b), (d)	Design	.106(d)(2)
uids.	100(1)(1)	Exceptions	.106(d)(1), (2)
Inside Storage Rooms	.106(d)(4)	Fire Protection	.106(d)(7)
Storage Inside Buildings	.106(d)(5)	Indoor Storage	.106(d)(4), (5)
Storage Outside Buildings Indoor Rooms	.106(d)(6) .106(d)(5)	Outdoor Storage	.106(d)(6)
Liquefied Petroleum Gases	.110	Storage Cabinets	.106(d)(3)
Logs	.265(d)	Temporary Floor Openings	.23(a)(7)
Lumber	.265(c)(27)	Temporary Labor Camps: (see also	.142
Pulp and Paper Mills	.261(c), (d)	Labor Camps, Temporary). Tempering Tanks	.126(a)
Pulpwood Logging	.266(e)(12)	Tenoning Machines	.213(k)
Respirators	.134(f)(5)	Telecommunications	.268
Service Stations	.106(g)(1)	Testing:	.200
Storage Areas:	470(-)	Bulk Oxygen	.104(b)(8)(v)
Aisles and Passageways	.176(a)	Cranes	.179(k), .180(e)
Bridge Plates	.178(j), (k)(4) .176(e)	Derricks	.18(e)
Clearances	.176(a)	Fire Extinguishers:	.157(e)
Dockboards	.178(j), (k)(4)	Gaseous Hydrogen Systems	.103(b)(1)(vi)
Drainage	.176(d)	Liquefied Hydrogen Systems	.103(c)(1)(vii)
Housekeeping	.176(c)	Piping	.106(c)(7)
Lighting	.178(h)	Powered Platforms	.66(g)
Noxious Gases	.178(i)	Radiation Alarm	.96(f)(3)
Railroad Cars	.178(k)(2)–(4)	Sprinkler Systems	.159(c)(3)
Securing	.176(b)	Standpipe and hose systems	.158(e)
Trucks, Highway	.178(k)(1), (3); (m)	Storage Tanks	.106(b)(7)
Storage Batteries: (see Battery Chang-		Textiles:	
ing and Charging) Storage Bridge Cranes: (see Gantry		Acid Carboys	.262(nn)
Cranes)		Bleaching	.262(p)
Storage, Tanks: (see Tank Storage;		Calenders	.262(ee)
Tank Storage, Portable)		Caustics Color-Mixing Room	.262(00)
Straight Ladders, Portable Metal	.26(a)(2)	Cotton Cards	.262(kk)
Surface Grinders	.215(b)(5)	Cotton Combers	.262(e) .262(j)
Swing Frame Grinders	.215(b)(6)	Drawing Frames	.262(j)
Swing-Head Lathes	.213(o)	Drying Cans	.262(w)
Swinging Locomotive Cranes	.180(i)(6)	Drying Tumblers	.262(cc)
Swinging Scaffolds: (see also Two-	.28(g)	Dyeing Jigs	.262(u)
Point Suspension Scaffolds).		Dye Vats	.262(mm)
Switches:	005(-)	Extractors	.262(y)
Electric Cranes	.305(c)	First Aid	.262(pp)
Trip and Emergency	.179(g)(5) .216(e)	Flat Work Ironers	.262(x)
Table Saws	.213(d)	Folders, Overhead	.262(jj)
Tags: (see Signs and Tags)	.210(d)	Garnet Machines	.262(f)
Tanks: (see also Cargo Tanks—Port-		Gill Boxes	.262(k)
able Tanks)		Hand Boiling Machines	.262(hh)
Hardening	.126(a)(1)(i),(ii)	Kiers	.262(q)
Tempering	.126(a)	Lappers	.262(m)
Tanks, Dip: (see also Dip Tanks)	.123126	Looms	.262(n)
Tanks, Storage:		Mercerizing Ranges	.262(s)
Flammable and Combustible Liq-	.106(b)	Nip Guards Openers	.262(dd)(1), (v), (z) .262(d)
uids.	100(  -)(1)(;;;)	Padders	.262(v)
Atmospheric Tanks Construction	.106(b)(1)(iii)	Personal Protective Equipment	.262(qq)
Corrosion	.106(b)(1) .106(b)(1)(vi)	Pickers	.262(d)
Diking	.106(b)(1)(vi)	Power Transmission	.219(a)(3)
Ignition Sources	.106(b)(2)(VII)	Printing Machines	.262(dd)
Installation:		Rings Frames	.262(j)
Above Ground, Outside	.106(b)(2)	Roll Bench	.262(ii)
Inside Buildings	.106(b)(4)	Rope Washers	.262(bb)
Underground	.106(b)(3)	Sanforizing and Palmer Machines	.262(aa)
Low Pressure Tanks	.106(b)(1)(iv)	Shearing Machines	.262(0)
Materials	.106(b)(1)(i)	Slashers	.262(h)
Pressure Vessels	.106(b)(1)(v)	Slubbers	.262(j)
Supports	.106(b)(5)	Spinning Mules	.262(g)
Testing	.106(b)(7)	Standards Sources	.262(a)(2), .265(j)
Venting	.106(b)(2)(iv), (v),	Staple Cullers	.262(ff)
	(vi), (3)(iv), (4)(ii),	Tanks, Open Tenter Frames	.262(II)
Tanks, Storage, Portable:	(iii)	Tumblers	.262(t) .262(cc)
Flammable and Combustible Lig-	.106(d)	Warpers	.262(i)
uids.		Worsted Drawing	
uido.	•	TTOIOGG DIGHTING	0_(1)

FI. 1910, IIIQEX		29 CFR CII. AVII (7	-1-12 Edilloll)
Subject term	Section No.	Subject term	Section No.
Toe Protection: (see Foot Protection)		Tube and Coupler Scaffolds	.28(c)
Toeboards:		Tube and Coupler Scaffolds, Mobile	.29(d)
Cranes	.179(d)(3)	Tubing: (see Piping, Fittings, and Tub-	
Definition Power Transmission Apparatus	.21(a)(9) .219(o)(5)	ing) Tubular Welded Frame Scaffolds	20(4)
Powered Platforms	.66(f)(5)(i)(G)	Tubular Welded Frame Scaffolds, Mo-	.28(d) .29(b)
Walking-Working Surfaces	.23(a)(2), (3)(ii), (e)	bile.	.23(b)
Toilet Facilities: (see also Toilets)	.141(c)	Tubular Welded Sectional Folding	.29(c)
Construction	.141(c)(2), (3)	Scaffolds.	, ,
Hazardous Waste	.120(n)(3)	Turning Machines	.213(0)
Labor Camps Lavatories	.142(d) .141(d)(2)	Two-Point Suspension Scaffolds	.28(g)
Minimum Numbers	.141(d)(2) .141(c)(1), (d)(2)	Two-Section Rung Ladders	.25(c)(3)(iii)
Towels	.141(d)(3)(v)	U-GuardsUnderground Storage Tanks, Flam-	.219(m)(3) .106(b)(3)
Washing Facilities	.141(e)(1)(vii), (d)	mable and Combustible Liquids.	.100(b)(0)
Tongs, Upsetters	.218(h)(4)	Location	.106(b)(3)(i)
Tooling	.217(d)(5)	Depth and Cover	.106(b)(3)(ii)
Torch Valves, Welding	.252(a)(4)(ii)	Corrosion Protection	.106(b)(3)(iii)
Towers, Scaffolds: (see Ladder Stands	.141(d)(3)(v) .29	Vents	.106(b)(3)(iv)
and Scaffolds; Scaffolds; Work Plat-	.29	Unit Physical Operations	.106(e)(3)(v)
forms, Mobile).		Upsetters	.218(h)
Tractors: (see also Powered Industrial	.178	Dies Changing Lockouts	.218(h)(5) .218(h)(2)
Trucks).		Manual Controls	.218(h)(3)
Trailers	.111(d)(7)	Supporting Foundations	.218(h)(1)
Training Personnel	.96(i), .217(e)(3)	Tongs	.218(h)(4)
Bloodborne pathogens, exposure	.1030(e)(5), (g)(2)	Valves: (see also Piping, Valves, and	
to. Electrical safety-related work prac-	.332	Fittings)	
tices.	.552	Air Receivers	.169(b)(3)
Fire brigades	.156	Liquefied Petroleum Gases	.110(b)(7)
Fire extinguishers	.157(g)	Non-DOT Containers Vaporizers:	.110(d)(3)
Hazardous chemicals	.1200	Liquefied Petroleum Gases	.110(b)(11)
Hazardous chemicals, highly,	.119(g)	Liquid Hydrogen	.103(c)(1)(viii)
process safety management.	120(a) (n)(7)	Liquid Oxygen	.104(b)(7)
Hazardous waste operations	.120(e), (p)(7), (q)(6)	Vehicles, slow-moving, signs	.145(d)(10)
Respirators	.134(b)(3), (e)(5)	Veneer Machinery	.30(c)
Telecommunications	.268(c)	Cutters	.213(q), (s)(13)
Truck Operators	.178(l)	Ventilation	.94, .107(d)
Working platform operations	.66(i)(1)	Abrasive Blasting Asbestos	.94(a) .1001(c)(1)(ii)
Transmission Pipeline Welding	.252(d)(1)	Bulk Oxygen Systems	.104(b)(3)(xii)
Construction Standards	.252(d)(1)(v)	Bulk Plants	.106(f)(2)(iii)
Electric ShockField Shop Operations	.252(d)(1)(iii) .252(d)(1)(ii)	Confined Spaces	.255(e)(4)(ii), (f)
Flammable Substances	.252(d)(1)(vi)	Dip Tanks	.124(b), .125(d)(2)
Pressure Testing	.252(d)(1)(iv)	Effective Dates	.98
X-ray Inspection	.252(d)(1)(vii)	Electrostatic Spraying	.107(i), .107(r)(9)
Transportation:		Grinding, Polishing, and Buffing Inside Storage Rooms	.94(b)
Blasting Agents	.109(g)(6)	Laundries	.106(d)(4)(iv) .262(c)(4)(ii),
Explosives	.109(d)	Edulatios	(d)(1)(ii)
Fire Extinguishers Markings	.109(d)(2)(iii) .109(d)(2)(ii)	Powder Coatings	.107(1)(2)
Vehicles	.109(d)(2), (3)	Processing Buildings	.106(h)(3)(iii)
Trapdoors	.23(a)(5)	Sawmills	.265(c)(7)
Traps, Air Receivers	.169(b)(2)	Spray Finishing	.94(c)(5)
Treads, Stairs	.24(f)(k)	Spraying Operations	.94(c), .107(d)
Treadles	.217(b)(4)	Exhaust Duct System Fan-Rotating Element	.107(d)(3), (7) .107(d)(4)
Trestle Ladders, Portable:	26(0)(4)	Independent Exhaust	.107(d)(4)
Metal Wood	.26(a)(4) .25(c)(3)(v)	Room Intakes	.107(d)(11)
Trimming Presses	.218(g)	Standards Sources	.99
Trips, Two-Hand	.217(b)(6)	Venting, Tanks:	
Trolley Bumpers, Cranes	.179(e)(3)	Aboveground	.106(b)(2)(iv)-(vi)
Trolley Ladders, Portable	.25(c)(5)	Inside	.106(b)(4)(ii)
Trolley Stops, Cranes	.179(e)(1)	Portable	.106(d)(2)(ii)
Truck Cranes: (see Crawler, Loco-	.180	Underground	.106(b)(3)(iv)
motive and Truck Cranes). Trucks	178(k) (m)	Vents: (see Venting) Vermin Control	.141(a)(5)
Forklift	.178(k), (m) .261(c)(1)	Vinyl Chloride	.1017
Hand	.261(m)(1)	Emergency situations	.1017(i)
Highway	.178(k), (m)	Hazardous operations	.1017(h)
Powered Industrial	.178	Medical surveillance	.1017(k)
Trucks, Powered Industrial: (see also	.178	Methods of compliance	.1017(f)
Powered Industrial Trucks).	l	Monitoring	.1017(d)

Subject term	Section No.	Subject term	Section No.
Permissible exposure limit	.1017(c)	Cleaning Compounds	.252(c)(11)
Regulated area	.1017(e)	Concentrations, Maximum Allow-	.252(c)(1)(iii)
Respiratory protection	.1017(g)	able.	
Signs and labels	.1017(I)	Containers	.252(a)(3)
Training	.1017(j)	Contamination	.252(c)(1)(i)
Walking-Working Surfaces:		Definitions	.251
Aisles	.22(b)	Exhaust Hoods	.252(c)(3)
Covers	.22(c)	Fire Protection	.252(a)(2)(i), (ii),
Definitions	.21		(xv)
Fixed Industrial Stairs	.24	First Aid Equipment	.252(c)(13)
Floor Loading	.22(d)	Fluorine Compounds	.252(c)(1)(v), (5)
Floor Openings Guard	.23	Labels	.252(c)(1)(iv)
General Requirements	.22	Ladders, Fixed	.27(b)(6)
Guardrails	.22(c)	Lead	.252(c)(7)
Housekeeping	.22(a)	Liquefied Petroleum Gases	.110(b)(4)
Ladders:	, ,	Mercury	.252(c)(10)
Fixed	.27	Piping Systems, Mechanical	.252(d)(2)
Portable:		Personnel Protection	.252(b)
Metal	.26	Precautions	.252(a)(2), .255(e
Wood	.25	Prohibited Areas	.252(a)(2)(vi)
Stands	.29	Screens	.252(c)(1)(ii)
Passageways	.22(b)	Spot and Seam	.255(b)
Scaffolding Safety	.28	Stainless Steels	.252(c)(12)
Scaffolds (Towers)	.29	Supervisory Responsibility	.252(c)(12)
Stairs, Fixed Industrial	.24	Transmission Pipelines	.252(d)(1)
Standards Sources	.31	Ventilation	
Wall Openings Guarding	.23	ventilation	.252(c)(1)(ii), (c)(2
	.30	Zina	(4)
Working Surfaces	.30	Zinc Welding Machines, Portable	.252(c)(6)
Wall Cranes: (see Gantry Cranes)	00//-)	,	.255(c)
Wall Openings (Holes)	.23(b)	Clevis	.255(c)(3)
Warehouses:		Counterbalance	.255(c)(1)
Ammonium Nitrate	.109(i)(4)	Grounding	.255(c)(6)
Flammable Liquids	.106(d)(5)(v)	Holder, Movable	.255(c)(5)
Warning Devices and Signs: (see also		Safety Chains	.255(c)(2)
Signs and Tags)		Switch Guards	.255(c)(4)
Bloodborne pathogens	.1030(g)(1)	Wharves:	
Cranes	.179(i)	Bulk Plants	.106(f)(4)
Ionizing Radiation	.96(f)	Chemical Plants	.106(i)(2)
Manlifts	.68(c)(7)	Distilleries	.106(i)(2)
Nonionizing Radiation	.97(a)(3)	Explosives	.109(f)
Washing Facilities	.141(d), .142(f),	Marine Service Stations	.106(g)(4)
3	.120(n)(6)	Refineries	.106(i)(2)
Waste Disposal	.141(a)(4)	Wheels, Multi-Piece Rim: Servicing	.177
Asbestos	.1001(h)(2)	Winch Heads, Derricks	.181(i)(5)
Bulk Plants	.106(f)(7)	Wind Indicators	.179(b)(4)
Containers	.141(g)(3)	Window-Jack Scaffolds	.28(r)
Dip Tanks	.125(e)(4)(ii),(iii)	Guardrails	.28(r)(3)
Ionizing Radiation	.96(k)	Use	.28(r)(1), (2)
Labor Camps	.142(e), (h)	Wood Heel Turning Machines	.213(0)
Processing Plants	.106(h)(8)(iii)	Wood Ladders, Portable: (see also	.25
Radiation	.96(k)	Ladders, Portable Wood).	00(1-)
Service Stations	.106(g)(7)	Wood Pole Scaffolds	.28(b)
Spraying	.107(g)(3)	Wood Shapers	.213(m)
Nater Gels	.109(h)	Wooden Guards	.219(o)(2)
Nater Spray Extinguishing Systems,	.163	Woodworking Machinery	.213
Fixed.		Band Saws and Resaws	.213(i)
Nater Supply:		Boring Machines	.213(I)
Hazardous waste operations	.120(n)	Circular Resaws	.213(e)
Labor Camps	.142(c)	Construction	.213(a)
Nonpotable Water	.141(b)(2)	Controls	.213(b)
Potable Water	.141(b)(1)	Crosscut Table Saws	.213(d)
Sprinkler Systems	.159(c)(4)	Definitions	.211(a)
Standpipe and Hose Systems	.158(d)	Drag Saws	.213(r)
Weather Protection Manlifts	.68(b)(15)	Effective Dates	.220
Welding: (see also Acetylene Genera-	.251–.257	Glue Spreaders, Roll-Type	.213(r)
tors; Arc Welding; Flash Welding		Hand-Fed Crosscut Table Saws	.213(d)
Equipment; Resistance Welding		Hand-Fed Ripsaws	.213(c)
Equipment; Welding Machines, Port-		Inspection	.213(s)
		Jointers	` '
able).	252(0)(9)		.213(j)
Beryllium	.252(c)(8)	Maintenance	.213(s)
Cadmium	.252(c)(1)(v), (9)	Matching Machines	.213(n)
Chemicals, highly hazardous,	.119(k)	Molding Machines	.213(n)
process safety management;		Mortising Machines	.213(I)
hot-work permits.		Planing Machines	

Subject term	Section No.	Subject term	Section N
Profile Lathes Radial Saws Ripsaws Sanding Machines Self-Fed Circular Saws Standards Sources Sticking Swing Cutoff Saws Swing Head Lathes Table Saws Tenoning Machines Turning Machines Veneer Cutters Wood Heel Turning Machines	.213(o) .213(h) .213(c) .213(p) .213(f) .221 .213(n) .213(g) .213(g) .213(d) .213(k) .213(o) .213(o) .213(o) .213(o)	Dead-Man Controls Grounding Sanding Machines Work Platforms Elevating and Rotating Powered Platforms Vehicle-Mounted Application Design Work Platforms, Mobile: (see also Scaffolds). Working Surfaces: (see also Walking-Working Surfaces). X-ray Inspections, Mechanical Piping	Section N .243(a)(2) .243(a)(5) .243(a)(3) .66, .67 .66 .67 .67(b)(1) .67(b)(2) .29(e) .30 .252(d)(2)(iii)
Wood Shapers Woodworking Tools, Portable Powered Belt Sanding Machines Circular Saws Cracked Saws	.213(m) .243(a) .243(a)(3) .243(a)(1) .243(a)(4)	Systems. Zinc	.252(c)(6) .252(c)(6)(i) .252(c)(6)(ii)